

3D Synchronization Profile (3DSP)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- **Revision:** 3DSP.ICS.p7
- **Revision Date:** 2024-07-01
- **Prepared By:** BTI
- **Published during TCRL:** TCRL.2024-1



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2012–2024 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

1	Identification of the implementation	4
1.1	Implementation Under Test (IUT) identification	4
1.2	Versions	5
1.3	Roles	5
1.4	3DD	5
1.4.1	3DD Features	5
1.4.2	Proximity Association	6
1.5	3DG	6
1.5.1	3DG Features	6
1.5.2	Proximity Association	7
1.6	Profile and Protocol Dependencies	7
1.6.1	BB requirements	7
1.6.2	GAP requirements	7
1.6.3	L2CAP requirements	8
1.6.4	SDP requirements	8
2	References	9
3	Revision history and acknowledgments	10

1 Identification of the implementation

1.1 Implementation Under Test (IUT) identification

Identification of the Implementation Under Test (IUT) is to be filled in to provide as much detail as possible regarding version numbers and configuration options.

An ICS contact person to respond to queries regarding information supplied in this ICS proforma is named in the Declaration of Compliance: Summary of Selected Specifications in Implementation.

1.2 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	3DSP v1.0	[1] 3DSP v1.0	C.1, C.2
2–4	No longer used	N/A	N/A

C.1: Mandatory.

C.2: Can only be supported with an active X.Y.Z version after Deprecation. Deprecated 2014-04-22. Withdrawn 2022-02-01.

Table 0a: X.Y.Z Versions

Item	Version	Reference	Status
1	No longer used	N/A	N/A
2	3DSP v1.0.1**	[6] 3DSP v1.0.1	Deprecated 2021-02-01. Withdrawn 2022-02-01.
3	3DSP v1.0.2**	[7] 3DSP v1.0.2	Deprecated 2021-02-01. Withdrawn 2022-02-01.
4	3DSP v1.0.3	[8] 3DSP v1.0.3	C.2

C.1: No longer used.

C.2: Mandatory IF 3DSP 0/1 “3DSP v1.0”, otherwise Excluded.

1.3 Roles

Table 1: Role Requirements

Item	Role	Reference	Status
1	3DD – 3D Display	[1] 2.2	C.1
2	3DG – 3D Glasses	[1] 2.2	C.1

C.1: Mandatory to support at least one.

1.4 3DD

1.4.1 3DD Features

Table 2: 3DD Features

Prerequisite: 3DSP 1/1 “3DD – 3D Display”

Item	Capability	Reference	Status
1	Frame Sync	[1] 2.6.1, 4	M
2	Proximity Association Response	[1] 2.6.2, 5	M
3	Reference Protocol Association Notification Reception	[1] 2.6.6	O
4	3DG Connection Announcement Reception	[1] 2.6.3	C.1

** Deprecated versions may not appear in the Bluetooth SIG qualification tool after the deprecation date. TCRLs published after this date will not allow the use of deprecated versions.



Item	Capability	Reference	Status
5	Battery Level Reporting Reception	[1] 2.6.7, 6.4.2	C.2
6	Association Notification Reception	[1] 2.6.4, 7.5	C.3
7	3D Broadcast Message Transmission	[1] 2.6.8	M

C.1: Mandatory IF 3DSP 2/3 “Reference Protocol Association Notification Reception”, otherwise Optional.

C.2: Optional IF 3DSP 2/4 “3DG Connection Announcement Reception”, otherwise Excluded.

C.3: Mandatory IF 3DSP 2/3 “Reference Protocol Association Notification Reception” OR 3DSP 2/5 “Battery Level Reporting Reception”, otherwise Optional IF 3DSP 2/4 “3DG Connection Announcement Reception”, otherwise Excluded.

1.4.2 Proximity Association

Table 3: 3DD Proximity Association

Prerequisite: 3DSP 1/1 “3DD – 3D Display”

Item	Capability	Reference	Status
1	Class of Device	[1] 5.1.1	M
2	3D Information EIR Field	[1] 5.1.2.1	M
3	Legacy 3D Information EIR Field	[1] 5.1.2.2	M
4	TX Power Level Field	[1] 5.1.2.3	M

1.5 3DG

1.5.1 3DG Features

Table 4: 3DG Features

Prerequisite: 3DSP 1/2 “3DG – 3D Glasses”

Item	Capability	Reference	Status
1	Proximity Association Initiation	[1] 5.3	M
2	Legacy Association Notification Transmission	[1] 2.6.4	O
3	3DG Connection Announcement Transmission	[1] 6.2	C.1
4	Battery Level Reporting Transmission	[1] 6.4.1	C.2
4a	Support for User Request for Battery Level Display	[1] 6.4.1	O
5	Association Notification Transmission	[1] 6.3.1	C.2
6	3D Broadcast Message Reception	[1] 8.5	C.3
7	Shutter Control	[1] 9.3	M

C.1: Mandatory IF 3DSP 4/2 “Legacy Association Notification Transmission”, otherwise Optional.

C.2: Optional IF 3DSP 4/3 “3DG Connection Announcement Transmission”, otherwise Excluded.

C.3: Mandatory IF 3DSP 4/2 “Legacy Association Notification Transmission” OR 3DSP 4/4 “Battery Level Reporting Transmission”, otherwise Optional IF 3DSP 4/3 “3DG Connection Announcement Transmission”, otherwise Excluded.

1.5.2 Proximity Association

Table 5: 3DG Proximity Association

Prerequisite: 3DSP 1/2 “3DG – 3D Glasses”

Item	Capability	Reference	Status
1	Class of Device	[1] 5.1.1	M
2	Path Loss Threshold	[1] 5.3	M
3	3D Information EIR Field	[1] 5.1.2.1	M

1.6 Profile and Protocol Dependencies

1.6.1 BB requirements

Table 6: BB Requirements (3DD)

Prerequisite: 3DSP 1/1 “3DD – 3D Display”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Connectionless Peripheral Broadcast Transmitter	[1] 10.1	M	[3] BB 3a/1
2	Synchronization Train	[1] 10.1	M	[3] BB 9c/1

Table 7: BB Requirements (3DG)

Prerequisite: 3DSP 1/2 “3DG – 3D Glasses”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Connectionless Peripheral Broadcast Receiver	[1] 10.1	M	[3] BB 3a/2
2	Synchronization Scan	[1] 10.1	M	[3] BB 9c/2

1.6.2 GAP requirements

Table 8: GAP Requirements (3DD)

Prerequisite: 3DSP 1/1 “3DD – 3D Display”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Synchronizable mode	[1] 10.3	M	[2] GAP 1/9
2	Non-synchronizable mode	[1] 10.3	M	[2] GAP 1/8
3	General discoverable mode	[1] 10.3	M	[2] GAP 1/3

Table 9: GAP Requirements (3DG)*Prerequisite: 3DSP 1/2 “3DG – 3D Glasses”*

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Synchronization Establishment as receiver	[1] 10.3	M	[2] GAP 4/7
2	Non-synchronizable mode	[1] 10.3	M	[2] GAP 1/8

1.6.3 L2CAP requirements

Table 10: L2CAP Requirements (3DD)*Prerequisite: 3DSP 1/1 “3DD – 3D Display”*

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Unicast Connectionless Data, Reception	[1] 10.2	C.1	[4] L2CAP 2/35

C.1: Mandatory IF 3DSP 2/5 “Battery Level Reporting Reception” OR 3DSP 2/6 “Association Notification Reception”, otherwise Optional.

Table 11: L2CAP Requirements (3DG)*Prerequisite: 3DSP 1/2 “3DG – 3D Glasses”*

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Ability to transmit an unencrypted packet over a Unicast connectionless L2CAP channel	[1] 10.2	C.1	[4] L2CAP 2/36

C.1: Mandatory IF 3DSP 4/4 “Battery Level Reporting Transmission” OR 3DSP 4/5 “Association Notification Transmission”, otherwise Optional.

1.6.4 SDP requirements

Table 12: SDP Requirements

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Server	[1] 10.4	M	[5] SDP 1b/1
2–4	No longer used	N/A	N/A	N/A
5	ServiceName	[1] 10.4	O	[5] SDP 9/9
6	BluetoothProfileDescriptorList	[1] 10.4	M	[5] SDP 9/14
7	No longer used	N/A	N/A	N/A

2 References

- [1] 3D Synchronization Profile Specification, Version 1.0 or later
- [2] ICS Proforma for Generic Access Profile (GAP)
- [3] ICS Proforma for Baseband (BB)
- [4] ICS Proforma for Logical Link Control and Adaptation Protocol (L2CAP)
- [5] ICS Proforma for Service Discovery Protocol (SDP)
- [6] 3D Synchronization Profile Specification, Version 1.0.1
- [7] 3D Synchronization Profile Specification, Version 1.0.2
- [8] 3D Synchronization Profile Specification, Version 1.0.3

3 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
0	1.0.0	2013-03-18	Prepare for Publication
	1.0.1r01	2013-09-03	Added Erratum 5256 and 3DSP 1.0.1 to Table 0. Created C.1 and C.2 conditionals. Added reference [6] to be 3DSP version 1.0.1 or later. Added reference [7] to be the Erratum location.
1	1.0.1	2013-10-22	Prepare for Publication
	1.0.2r01	2013-10-22	TSE 5241: Addition of item 4a in Table 4.
	1.0.2r02	2013-10-22	TSE 5364: Changed table condition for Table 1 , C.1: Mandatory to support at least one of 1/1 or 1/2
2	1.0.2	2013-12-03	Prepare for Publication
	1.0.2.0r00	2015-05-20	ESR08 update: Added item 4 to Table 0 for 3DSP 1.0.2 Added reference [8] for 3DSP 1.0.2
	1.0.2.0r01	2015-06-03	Converted to current document template.
3	1.0.2.0	2015-07-14	Prepared for TCRL 2015-1 publication
	1.0.3.0r00	2015-10-28	Updated version numbering to align with Specification version change to 1.0.3 for ESR09.
	1.0.3.0r01 to 1.0.3.0r03	2015-11-02 to 2015-11-23	Added item 0/5 for new Specification version 1.0.3 (ESR09). Added Table 0a for minor profile versions.
4	1.0.3.0	2015-12-22	Prepared for TCRL 2015-2 publication.
	1.0.3.1r00	2018-04-04	TSE 10571 (rating 1): Template Conversion.
5	1.0.3.1	2018-07-01	Approved by BTI. Prepared for TCRL 2018-1 publication.
	1.0.3.2r00	2018-09-24	Drafted Deprecation /Withdrawal changes
6	1.0.3.2	2018-11-21	Approved by BTI. Prepared for TCRL 2018-2 publication.
	1.0.3.2ed2 r00	2021-01-12	TSE 15973 (rating 1): Changes for Deprecation. Minor editorials. Fixed instances of Master and Slave to Central and Peripheral, respectively.
	1.0.3.2 edition 2	2021-02-01	Approved by BTI on 2021-01-18. Prepared for edition 2 publication.
	1.0.3.2ed3 r00–r03	2021-03-15 – 2021-05-19	TSE 16564 (rating 1): Corrected logic issues by updating conditionals in Tables 0a and 4; updating items in Tables 6–12; and updating the Prerequisite in Table 12. Editorials to bring references up to latest drafting guidelines. Editorials from consistency checker.
	1.0.3.2 edition 3	2021-05-26	Approved by BTI on 2021-05-06. Prepared for edition 3 publication.

Publication Number	Revision Number	Date	Comments
	1.0.3.2 ed4r00	2021-07-15	TSE 17164 (rating 1): Corrected the deprecation date for 3DSP v1.0.
	1.0.3.2 edition 4	2021-08-19	Approved by BTI on 2021-08-19. Prepared for edition 4 publication.
	1.0.3.2 ed5r00–r01	2021-09-17 – 2021-09-24	TSE 17483 (rating 1): Corrected C.1 of Table 0 to align with more recent language conventions. Consistency checker editorials based on the latest ICS template.
	1.0.3.2 edition 5	2021-09-28	Approved by BTI on 2021-09-27. Prepared for edition 5 publication.
	p7r00–r02	2023-08-30 – 2024-02-12	TSE 23946 (rating 2): Relabeled the subsections and tables in the Profile and Protocol Dependencies section. Cleaned up the SDP ILDs by removing items 12/2, 12/3, 12/4, and 12/7 as well as the prerequisite from Table 12. Updated the Capability description for 12/1. Editorials to align the document with the latest ICS template.
7	p7	2024-07-01	Approved by BTI on 2024-05-22. Prepared for TCRL 2024-1 publication.

Acknowledgments

Name	Company
Sowmya Ramjee	Bluetooth SIG, Inc.
Alicia Courtney	Broadcom
Farooq Hameed	Broadcom
Chris Church	CSR
Mike Tsai	Qualcomm Atheros
Brad Hunt	Samsung (consultant)