

Automation IO Protocol (AIOP)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- **Revision:** AIOP.ICS.p3
- **Revision Date:** 2024-07-01
- **Prepared By:** BTI
- **Published during TCRL:** TCRL.2024-1



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2015–2024 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

1	Identification of the implementation	4
1.1	Implementation Under Test (IUT) identification	4
1.2	Versions	5
1.3	Roles	5
1.4	Transport requirements	5
2	Automation IO Server Role	6
2.1	Service requirements	6
2.2	GAP requirements	6
3	Automation IO Client Role	7
3.1	Discover Services and Characteristics	7
3.2	Features	7
3.3	GATT requirements	9
3.4	GAP requirements	10
4	References	12
5	Revision history and acknowledgments	13

1 Identification of the implementation

1.1 Implementation Under Test (IUT) identification

Identification of the Implementation Under Test (IUT) is to be filled in to provide as much detail as possible regarding version numbers and configuration options.

An ICS contact person to respond to queries regarding information supplied in this ICS proforma is named in the Declaration of Compliance: Summary of Selected Specifications in Implementation.

1.2 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	AIOP v1.0	[1] 2.1	M

1.3 Roles

Table 1: Role Requirements

Item	Role	Reference	Status
1	Automation IO Server	[1] 2.1	C.1
2	Automation IO Client	[1] 2.1	C.1

C.1: Mandatory to support at least one.

1.4 Transport requirements

Table 2: Transport Requirements

Item	Transport	Reference	Status
1	Profile supported over BR/EDR	[1] 2.5	C.1
2	Profile supported over LE	[1] 2.5	C.1

C.1: Mandatory to support at least one.

2 Automation IO Server Role

2.1 Service requirements

Table 3: Service Requirements

Prerequisite: AIOP 1/1 “Automation IO Server”

Item	Feature	Reference	Status	Inter-Layer Dependency
1	Automation IO Service	[1] 3	M	[2] AIOS 2/1
2	Service UUID	[1] 3.1.1	C.1	[4] GAP 20a/1
3	Local Name	[1] 3.1.2	C.1	[4] GAP 20a/2
4	Writable Device Name	[1] 3.1.3	O	[4] GAP 27/6

C.1: Optional IF AIOP 2/2 “Profile supported over LE”, otherwise not defined.

2.2 GAP requirements

Table 4: GAP Requirements

Prerequisite: AIOP 1/1 “Automation IO Server” AND AIOP 2/2 “Profile supported over LE”

Item	Feature	Reference	Status	Inter-Layer Dependency
1	Peripheral	[1] 2.4	C.1	[4] GAP 5/3 OR GAP 38/3
2	Central	[1] 2.4	C.1	[4] GAP 5/4 OR GAP 38/4
3	LE security mode 1	[1] 6.1	M	[4] GAP 25/1 OR GAP 35/1
4	No longer used	N/A	N/A	N/A
5	Unauthenticated Pairing (LE security mode 1 level 2)	[1] 6.1	C.3	[4] GAP 25/8 OR GAP 35/8
6	Authenticated Pairing (LE security mode 1 level 3)	[1] 6.1	C.3	[4] GAP 25/7 OR GAP 35/7
7	LE security mode 1 level 4	[1] 6.1	C.3	[4] GAP 25/9 OR GAP 35/9

C.1: Mandatory to support at least one.

C.2: No longer used.

C.3: Mandatory to support at least one.

Table 5: No longer used

3 Automation IO Client Role

Table 6: No longer used

3.1 Discover Services and Characteristics

Table 7: Automation IO Service and Characteristic Discovery

Prerequisite: AIOP 1/2 “Automation IO Client”

Item	Feature	Reference	Status
1	Discover Automation IO Service	[1] 4.2.1	M
2	Discover Digital Characteristic	[1] 4.3.1.1	C.1
3	Discover Digital Number of Digitals Descriptor	[1] 4.3.1.1	C.2
4	Discover Digital Client Configuration Descriptor	[1] 4.3.1.1	C.2
5	Discover Digital Value Trigger Setting Descriptor	[1] 4.3.1.1	C.2
6	Discover Digital Time Trigger Setting Descriptor	[1] 4.3.1.1	C.2
7	Discover Digital Characteristic Presentation Format Descriptor	[1] 4.3.1.1	C.2
8	Discover Digital Characteristic User Description Descriptor	[1] 4.3.1.1	C.2
9	Discover Digital Characteristic Extended Properties Descriptor	[1] 4.3.1.1	C.2
10	Discover Analog Characteristic	[1] 4.3.1.2	C.1
11	Discover Analog Client Configuration Descriptor	[1] 4.3.1.2	C.3
12	Discover Analog Value Trigger Setting Descriptor	[1] 4.3.1.2	C.3
13	Discover Analog Time Trigger Setting Descriptor	[1] 4.3.1.2	C.3
14	Discover Analog Characteristic Presentation Format Descriptor	[1] 4.3.1.2	C.3
15	Discover Analog Characteristic User Description Descriptor	[1] 4.3.1.2	C.3
16	Discover Analog Characteristic Extended Properties Descriptor	[1] 4.3.1.2	C.3
16a	Discover Analog Characteristic Value Range Descriptor	[1] 4.3.1.2	C.3
17	Discover Aggregate Characteristic	[1] 4.3.1.3	O
18	Discover Aggregate Client Configuration Descriptor	[1] 4.3.1.3	C.4

C.1: Mandatory to support at least one.

C.2: Optional IF AIOP 7/2 “Discover Digital Characteristic”, otherwise Excluded.

C.3: Optional IF AIOP 7/10 “Discover Analog Characteristic”, otherwise Excluded.

C.4: Optional IF AIOP 7/17 “Discover Aggregate Characteristic”, otherwise Excluded.

3.2 Features

Table 8: Feature Requirements – Digital

Prerequisite: AIOP 1/2 “Automation IO Client” AND AIOP 7/2 “Discover Digital Characteristic”

Item	Feature	Reference	Status
1	Read Digital value	[1] 4.4	O



Item	Feature	Reference	Status
2	Configure Digital for notifications	[1] 4.4	C.5
3	Configure Digital for indications	[1] 4.4	C.5
4	Configure Value Trigger Settings descriptor	[1] 4.4	C.1
5	Configure Time Trigger Settings descriptor	[1] 4.4	C.4
6	Receive Digital notifications	[1] 4.4	C.2
7	Receive Digital indications	[1] 4.4	C.3
8	Update Digital Characteristic User Description descriptor	[1] 4.4	O
9	Write Digital value	[1] 4.4	O
10	Write Digital without Response	[1] 4.4	O

- C.1: Optional IF AIOP 8/2 “Configure Digital for notifications” OR AIOP 8/3 “Configure Digital for indications”, otherwise Excluded.
- C.2: Mandatory IF AIOP 8/2 “Configure Digital for notifications”, otherwise Excluded.
- C.3: Mandatory IF AIOP 8/3 “Configure Digital for indications”, otherwise Excluded.
- C.4: Optional IF AIOP 8/4 “Configure Value Trigger Settings descriptor”, otherwise Excluded.
- C.5: Mandatory to support one and only one IF AIOP 7/4 “Discover Digital Client Configuration Descriptor” AND AIOP 8/1 “Read Digital value” AND NOT AIOP 7/18 “Discover Aggregate Client Configuration Descriptor”, otherwise Excluded.

Table 9: Feature Requirements – Analog

Prerequisite: AIOP 1/2 “Automation IO Client” AND AIOP 7/10 “Discover Analog Characteristic”

Item	Feature	Reference	Status
1	Read Analog value	[1] 4.5	O
2	Configure Analog for notifications	[1] 4.5	C.5
3	Configure Analog for indications	[1] 4.5	C.5
4	Configure Value Trigger Settings descriptor	[1] 4.5	C.1
5	Configure Time Trigger Settings descriptor	[1] 4.5	C.4
6	Receive Analog notifications	[1] 4.5	C.2
7	Receive Analog indications	[1] 4.5	C.3
8	Update Analog Characteristic User Description descriptor	[1] 4.5	O
9	Write Analog value	[1] 4.5	O
10	Write Analog without Response	[1] 4.5	O

- C.1: Optional IF AIOP 9/2 “Configure Analog for notifications” OR AIOP 10/3 “Configure Aggregate for indications”, otherwise Excluded.
- C.2: Mandatory IF AIOP 9/2 “Configure Analog for notifications”, otherwise Excluded.
- C.3: Mandatory IF AIOP 9/3 “Configure Analog for indications”, otherwise Excluded.
- C.4: Optional IF AIOP 9/4 “Configure Value Trigger Settings descriptor”, otherwise Excluded.
- C.5: Mandatory to support one and only one IF AIOP 7/11 “Discover Analog Client Configuration Descriptor” AND AIOP 9/1 “Read Analog value” AND NOT AIOP 7/18 “Discover Aggregate Client Configuration Descriptor”, otherwise Excluded.

Table 10: Feature Requirements – Aggregate

Prerequisite: AIOP 1/2 “Automation IO Client” AND AIOP 7/17 “Discover Aggregate Characteristic”

Item	Feature	Reference	Status
1	Read Aggregate value	[1] 4.6	O
2	Configure Aggregate for notifications	[1] 4.6	C.3
3	Configure Aggregate for indications	[1] 4.6	C.3
4	Receive Aggregate notifications	[1] 4.6	C.1
5	Receive Aggregate indications	[1] 4.6	C.2

- C.1: Mandatory IF AIOP 10/2 “Configure Aggregate for notifications”, otherwise Excluded.
 C.2: Mandatory IF AIOP 10/3 “Configure Aggregate for indications”, otherwise Excluded.
 C.3: Mandatory to support one and only one IF AIOP 7/18 “Discover Aggregate Client Configuration Descriptor” AND AIOP 10/1 “Read Aggregate value”, otherwise Excluded.

3.3 GATT requirements

Table 11: GATT Requirements

Prerequisite: AIOP 1/2 “Automation IO Client”

Item	Feature	Reference	Status	Inter-Layer Dependency
1	No longer used	N/A	N/A	N/A
2	GATT Client over BR/EDR	[1] 4.2	C.1	[2] GATT 1a/2
3	GATT Client over LE	[1] 4.2	C.2	[3] GATT 1a/1
4	Discover All Primary Services	[1] 4.1	C.3	[2] GATT 3/2
5	Discover Primary Services by Service UUID	[1] 4.1	C.3	[3] GATT 3/3
6	Discover All Characteristics of a Service	[1] 4.1	C.4	[3] GATT 3/5
7	Discover Characteristics by UUID	[1] 4.1	C.4	[3] GATT 3/6
8	Discover All Characteristic Descriptors	[1] 4.1	C.5	[3] GATT 3/7
9	Read Characteristic Value	[1] 4.1	C.6	[3] GATT 3/8
10	Write Characteristic Value	[1] 4.1	C.7	[3] GATT 3/14
11	Notifications	[1] 4.1	C.8	[3] GATT 3/17
12	Indications	[1] 4.1	C.9	[3] GATT 3/18
13	Read Characteristic Descriptors	[1] 4.1	O	[3] GATT 3/19
14	Write Characteristic Descriptors	[1] 4.1	C.10	[3] GATT 3/21
15	Write without Response	[1] 4.1	C.11	[3] GATT 3/12

- C.1: Mandatory IF AIOP 2/1 “Profile supported over BR/EDR”, otherwise not defined.
 C.2: Mandatory IF AIOP 2/2 “Profile supported over LE”, otherwise not defined.
 C.3: Mandatory to support at least one IF AIOP 2/2 “Profile supported over LE”, otherwise Optional.
 C.4: Mandatory to support at least one IF AIOP 2/2 “Profile supported over LE”, otherwise Optional.
 C.5: Mandatory IF AIOP 7/3 “Discover Digital Number of Digitals Descriptor” OR AIOP 7/4 “Discover Digital Client Configuration Descriptor” OR AIOP 7/5 “Discover Digital Value Trigger Setting”



- Descriptor” OR AIOP 7/6 “Discover Digital Time Trigger Setting Descriptor” OR AIOP 7/7 “Discover Digital Characteristic Presentation Format Descriptor” OR AIOP 7/8 “Discover Digital Characteristic User Description Descriptor” OR AIOP 7/9 “Discover Digital Characteristic Extended Properties Descriptor” OR AIOP 7/11 “Discover Analog Client Configuration Descriptor” OR AIOP 7/12 “Discover Analog Value Trigger Setting Descriptor” OR AIOP 7/14 “Discover Analog Characteristic Presentation Format Descriptor” OR AIOP 7/15 “Discover Analog Characteristic User Description Descriptor” OR AIOP 7/16 “Discover Analog Characteristic Extended Properties Descriptor” OR AIOP 7/17 “Discover Aggregate Characteristic” OR AIOP 7/18 “Discover Aggregate Client Configuration Descriptor”, otherwise Optional.
- C.6: Mandatory IF AIOP 8/1 “Read Digital value” OR AIOP 9/1 “Read Analog value” OR AIOP 10/1 “Read Aggregate value”, otherwise Optional.
- C.7: Mandatory IF AIOP 8/9 “Write Digital value” OR AIOP 9/9 “Write Analog value”, otherwise Optional.
- C.8: Mandatory IF AIOP 8/6 “Receive Digital notifications” OR AIOP 9/6 “Receive Analog notifications” OR AIOP 10/4 “Receive Aggregate notifications”, otherwise Optional.
- C.9: Mandatory IF AIOP 8/7 “Receive Digital indications” OR AIOP 9/7 “Receive Analog indications” OR AIOP 10/5 “Receive Aggregate indications”, otherwise Optional.
- C.10: Mandatory IF AIOP 8/2 “Configure Digital for notifications” OR AIOP 8/3 “Configure Digital for indications” OR AIOP 8/4 “Configure Value Trigger Settings descriptor” OR AIOP 8/5 “Configure Time Trigger Settings descriptor” OR AIOP 8/8 “Update Digital Characteristic User Description descriptor” OR AIOP 9/2 “Configure Analog for notifications” OR AIOP 9/3 “Configure Analog for indications” OR AIOP 9/4 “Configure Value Trigger Settings descriptor” OR AIOP 9/5 “Configure Time Trigger Settings descriptor” OR AIOP 9/8 “Update Analog Characteristic User Description descriptor” OR AIOP 10/2 “Configure Aggregate for notifications” OR AIOP 10/3 “Configure Aggregate for indications”, otherwise Optional.
- C.11: Mandatory IF AIOP 8/10 “Write Digital without Response” OR AIOP 9/10 “Write Analog without Response”, otherwise Optional.

3.4 GAP requirements

Table 12: GAP Requirements

Prerequisite: AIOP 1/2 “Automation IO Client” AND AIOP 2/2 “Profile supported over LE”

Item	Feature	Reference	Status	Inter-Layer Dependency
1	Peripheral	[1] 2.4	C.1	[4] GAP 5/3 OR GAP 38/3
2	Central	[1] 2.4	C.1	[4] GAP 5/4 OR GAP 38/4
3	LE security mode 1	[1] 6.1	M	[4] GAP 25/1 OR GAP 35/1
4	Unauthenticated Pairing (LE security mode 1 level 2)	[1] 6.1	C.2	[4] GAP 25/8 OR GAP 35/8
5	Authenticated Pairing (LE security mode 1 level 3)	[1] 6.1	C.2	[4] GAP 25/7 OR GAP 35/7
6	LE security mode 1 level 4	[1] 6.1	C.2	[4] GAP 25/9 OR GAP 35/9

- C.1: Mandatory to support at least one.
- C.2: Mandatory to support at least one.



Table 13: No longer used



4 References

- [1] Automation IO Profile Specification, Version 1.0
- [2] ICS Proforma for Automation IOP Service (AIOS)
- [3] ICS Proforma for Generic Attribute Profile (GATT)
- [4] ICS Proforma for Generic Access Profile (GAP)

5 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
	1.0.0r0	2015-04-21	Initial Draft
0	1.0.0	2015-07-21	Prepared for publication.
	1.0.0 edition 2r00	2018-11-20	Editorial changes only. Template updated. Revision History and Contributors moved to the end of the document. Table of Contents updated.
	1.0.0 edition 2	2019-11-11	Updated copyright page and confidentiality markings to support new Documentation Marking Requirements, performed minor formatting updates, and accepted all tracked changes to prepare for edition 2 publication.
	p1r00–r02	2022-09-06 – 2022-11-15	TSE 19176 (rating 3): Updated to align with current ICS conventions/template. Removed Support columns and added an Inter-Layer Dependency column where appropriate. In Table 0, updated the title, reference, and Item 1. In Table 1, updated the title, references, and C.1. In Table 2, updated the references and C.1. In Table 3, updated the prerequisite, Items 1–4, and C.1. In Table 4, updated the prerequisite, Items 1–4, and C.1–C.2; deleted C.3. In Table 5, updated the prerequisite, Items 1–3, and C.1; added Item 4. In Table 6, updated the prerequisite and Item 1. In Table 7, updated the prerequisite, references, and C.2–C.4. In Table 8, updated the prerequisite, references, Item 10, and C.1–C.4. In Table 9, updated the prerequisite, references, and C.1–C.4. In Table 10, updated the prerequisite, references, C.1, and C.2. In Table 11, updated the prerequisite, references, C.1–C.11, and Items 1, 2, 7, 9, 10, and 15. In Table 12, updated the prerequisite, references, and Item 3. In Table 13, updated the prerequisite, references, C.1, and Items 1–3; added Item 4. Updated the references list. Added Publication Number column to Revision History. Revised the document numbering convention, setting last release publication of 1.0.0 as p0. Aligned copyright page with v2 of the DNMD.
1	p1	2023-02-07	Approved by BTI on 2022-12-28. Prepared for TCRL 2022-2 publication.
	p2r00–r01	2023-05-08 – 2023-05-12	TSE 22787 (rating 2): Changes required to support GGIT conversion. Updated the status for 8/2 and 8/3 with new conditional C.5; updated the status for 9/2 and 9/3 with new conditional C.5; updated the status for 10/2 and 10/3 with new conditional C.3.
2	p2	2023-06-29	Approved by BTI on 2023-05-28. Prepared for TCRL 2023-1 publication.
	p3r00–r02	2023-08-08 – 2023-12-05	TSE 23150 (rating 4): Added item 16a to Table 7 for Analog Characteristic Valid Range Descriptor discovery.

Publication Number	Revision Number	Date	Comments
3	p3	2024-07-01	Approved by BTI on 2024-04-21. Prepared for TCRL 2024-1 publication.

Acknowledgments

Name	Company
Alicia Courtney	Broadcom
Victor Zhodzishsky	Broadcom
Chris Church	CSR
Magnus Sommansson	CSR
David Edwin	Nordic Semiconductor
Miles Smith	Nordic Semiconductor
Mats Andersson	u-blox