

Audio/Video Distribution Transport Protocol (AVDTP)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- **Revision:** AVDTP.ICS.p12
- **Revision Date:** 2024-07-01
- **Prepared By:** BTI
- **Prepared during TCRL:** TCRL.2024-1



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2001–2024 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.

Contents

1	Identification of the implementation	4
1.1	Implementation Under Test (IUT) identification	4
1.2	Versions	5
1.3	Roles	5
1.4	Source Capabilities	5
1.4.1	Initiator Capabilities - Source	6
1.4.2	Acceptor Capabilities - Source	7
1.5	Sink Capabilities	8
1.5.1	Initiator Capabilities - Sink	9
1.5.2	Acceptor Capabilities - Sink	10
1.6	Message Error Handling Capabilities	11
1.7	Upper Tester Interface	11
1.8	L2CAP requirements	12
2	References	13
3	Revision history and acknowledgments	14

1 Identification of the implementation

1.1 Implementation Under Test (IUT) identification

Identification of the Implementation Under Test (IUT) is to be filled in to provide as much detail as possible regarding version numbers and configuration options.

An ICS contact person to respond to queries regarding information supplied in this ICS proforma is named in the Declaration of Compliance: Summary of Selected Specifications in Implementation.

1.2 Versions

Table 0: No longer used

Table 14a: X.Y Versions (Source)

Prerequisite: AVDTP 1/1 "Source"

Item	Version	Reference	Status
1	AVDTP v1.0**	[1]	Deprecated 2022-02-01. Withdrawn 2023-02-01.
2	AVDTP v1.2**	[2]	Deprecated 2023-02-01. Withdrawn 2024-02-01.
3	AVDTP v1.3	[3]	M

Table 15a: X.Y Versions (Sink)

Prerequisite: AVDTP 1/2 "Sink"

Item	Version	Reference	Status
1	AVDTP v1.0**	[1]	Deprecated 2022-02-01. Withdrawn 2023-02-01.
2	AVDTP v1.2**	[2]	Deprecated 2023-02-01. Withdrawn 2024-02-01.
3	AVDTP v1.3	[3]	M

1.3 Roles

Table 1: Role Requirements

Item	Role	Reference	Status
1	Source	[3] 4.2	C.1
2	Sink	[3] 4.2	C.1
3	Initiator	[3] 4.3	C.2
4	Acceptor	[3] 4.3	C.2

C.1: Mandatory to support at least one.

C.2: Mandatory to support at least one.

1.4 Source Capabilities

Table 14: Source Capabilities

Prerequisite: AVDTP 1/1 "Source"

Item	Capability	Reference	Status
1	Basic transport service support	[3] 7.2, 13.2	M

** Deprecated versions may not appear in the Bluetooth SIG qualification tool after the deprecation date. TCRLs published after this date will not allow the use of deprecated versions.



Item	Capability	Reference	Status
2	Reporting service support	[3] 7.3	O
3	Recovery service support	[3] 7.4	O
4	Multiplexing service support	[3] 7.5	O
5	Robust header compression service support	[3] 7.6	O
6	Delay Reporting	[3] 6.19	O

1.4.1 Initiator Capabilities - Source

Table 2: Signaling Message Format (Initiator, Source)

Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/1 "Source"

Item	Capability	Reference	Status
1	Transaction Label	[3] 8.4.1	M
2	Packet type	[3] 8.4.2	M
3	Message type	[3] 8.4.3	M
4	Signal identifier	[3] 8.4.4	M

Table 3: Signaling Channel Establishment/Disconnection (Initiator, Source)

Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/1 "Source"

Item	Capability	Reference	Status
1	Establish signaling channel	[3] 13.1	O
2	Disconnect signaling channel	[3] 13.1	O

Table 4: Stream Discovery and Configuration (Initiator, Source)

Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/1 "Source"

Item	Capability	Reference	Status
1	Stream discover command	[3] 6.4, 6.6, 8.6, 13.1	O
2	Stream get capabilities command	[3] 6.4, 6.7, 8.7, 13.1	C.2
3	Set configuration command	[3] 6.4, 6.9, 8.9, 13.1	O
4	Get configuration command	[3] 6.4, 6.10, 8.10, 13.1	O
5	Reconfigure command	[3] 6.4, 6.15, 8.11, 13.1	O
6	Stream get all capabilities command	[3] 6.4, 6.8, 8.8, 13.1	O

C.1: No longer used.

C.2: Mandatory IF AVDTP 4/6 "Stream get all capabilities command", otherwise Optional.

Table 5: Stream Establishment, Suspension and Release (Initiator, Source)

Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/1 "Source"

Item	Capability	Reference	Status
1	Open stream command	[3] 6.4, 6.11, 8.12, 13.1	O

Item	Capability	Reference	Status
2	Start stream command	[3] 6.4, 6.12, 8.13, 13.1	O
3	Close stream command	[3] 6.4, 6.13, 8.14, 13.1	O
4	Suspend command	[3] 6.4, 6.14, 8.15, 13.1	O
5	Abort stream command	[3] 6.4, 6.17, 8.16, 13.1	O

Table 6: Security Signaling (Initiator, Source)

Prerequisite: AVDTP 1/3 “Initiator” AND AVDTP 1/1 “Source”

Item	Capability	Reference	Status
1	Content security control command	[3] 6.4, 6.16, 8.17, 13.1	O

Table 7: Message Fragmentation (Initiator, Source)

Prerequisite: AVDTP 1/3 “Initiator” AND AVDTP 1/1 “Source”

Item	Capability	Reference	Status
1	Signaling message fragmentation	[3] 8.3	M

1.4.2 Acceptor Capabilities - Source

Table 8: Signaling Message Format (Acceptor, Source)

Prerequisite: AVDTP 1/4 “Acceptor” AND AVDTP 1/1 “Source”

Item	Capability	Reference	Status
1	Transaction Label	[3] 8.4.1	M
2	Packet type	[3] 8.4.2	M
3	Message type	[3] 8.4.3	M
4	Signal identifier	[3] 8.4.4	M

Table 9: Signaling Channel Establishment/Disconnection (Acceptor, Source)

Prerequisite: AVDTP 1/4 “Acceptor” AND AVDTP 1/1 “Source”

Item	Capability	Reference	Status
1	Establish signaling channel	[3] 13.1	O
2	Disconnect signaling channel	[3] 13.1	O

Table 10: Stream Discovery and Configuration (Acceptor, Source)

Prerequisite: AVDTP 1/4 “Acceptor” AND AVDTP 1/1 “Source”

Item	Capability	Reference	Status
1	Stream discover response	[3] 6.4, 6.6, 8.6, 13.1	O
2	Stream get capabilities response	[3] 6.4, 6.7, 8.7, 13.1	C.2
3	Set configuration response	[3] 6.4, 6.9, 8.9, 13.1	O

Item	Capability	Reference	Status
4	Get configuration response	[3] 6.4, 6.10, 8.10, 13.1	O
5	Reconfigure response	[3] 6.4, 6.15, 8.11, 13.1	O
6	Stream get all capabilities response	[3] 6.4, 6.8, 8.8, 13.1	O

C.1: No longer used.

C.2: Mandatory IF AVDTP 10/6 “Stream get all capabilities response”, otherwise Optional.

Table 11: Stream Establishment, Suspension and Release (Acceptor, Source)

Prerequisite: AVDTP 1/4 “Acceptor” AND AVDTP 1/1 “Source”

Item	Capability	Reference	Status
1	Open stream response	[3] 6.4, 6.11, 8.12, 13.1	O
2	Start stream response	[3] 6.4, 6.12, 8.13, 13.1	O
3	Close stream response	[3] 6.4, 6.13, 8.14, 13.1	O
4	Suspend response	[3] 6.4, 6.14, 8.15, 13.1	O
5	Abort stream response	[3] 6.4, 6.17, 8.16, 13.1	O
6	General reject message	[3] 8.18	O

Table 12: Security Signaling (Acceptor, Source)

Prerequisite: AVDTP 1/4 “Acceptor” AND AVDTP 1/1 “Source”

Item	Capability	Reference	Status
1	Content security control response	[3] 6.4, 6.16, 8.17, 13.1	O

Table 13: Message Fragmentation (Acceptor, Source)

Prerequisite: AVDTP 1/4 “Acceptor” AND AVDTP 1/1 “Source”

Item	Capability	Reference	Status
1	Signaling message fragmentation	[3] 8.3	M

1.5 Sink Capabilities

Table 15: Sink Capabilities

Prerequisite: AVDTP 1/2 “Sink”

Item	Capability	Reference	Status
1	Basic transport service support	[3] 7.2, 13.2	M
2	Reporting service support	[3] 7.3	O
3	Recovery service support	[3] 7.4	O
4	Multiplexing service support	[3] 7.5	O
5	Robust header compression service support	[3] 7.6	O
6	Delay Reporting	[3] 6.19	O

1.5.1 Initiator Capabilities - Sink

Table 2b: Signaling Message Format (Initiator, Sink)

Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/2 "Sink"

Item	Capability	Reference	Status
1	Transaction Label	[3] 8.4.1	M
2	Packet type	[3] 8.4.2	M
3	Message type	[3] 8.4.3	M
4	Signal identifier	[3] 8.4.4	M

Table 3b: Signaling Channel Establishment/Disconnection (Initiator, Sink)

Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/2 "Sink"

Item	Capability	Reference	Status
1	Establish signaling channel	[3] 13.1	O
2	Disconnect signaling channel	[3] 13.1	O

Table 4b: Stream Discovery and Configuration (Initiator, Sink)

Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/2 "Sink"

Item	Capability	Reference	Status
1	Stream discover command	[3] 6.4, 6.6, 8.6, 13.1	O
2	Stream get capabilities command	[3] 6.4, 6.7, 8.7, 13.1	C.2
3	Set configuration command	[3] 6.4, 6.9, 8.9, 13.1	O
4	Get configuration command	[3] 6.4, 6.10, 8.10, 13.1	O
5	Reconfigure command	[3] 6.4, 6.15, 8.11, 13.1	O
6	Stream get all capabilities command	[3] 6.4, 6.8, 8.8, 13.1	O

C.1: No longer used.

C.2: Mandatory IF AVDTP 4b/6 "Stream get all capabilities command", otherwise Optional.

Table 5b: Stream Establishment, Suspension and Release (Initiator, Sink)

Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/2 "Sink"

Item	Capability	Reference	Status
1	Open stream command	[3] 6.4, 6.11, 8.12, 13.1	O
2	Start stream command	[3] 6.4, 6.12, 8.13, 13.1	O
3	Close stream command	[3] 6.4, 6.13, 8.14, 13.1	O
4	Suspend command	[3] 6.4, 6.14, 8.15, 13.1	O
5	Abort stream command	[3] 6.4, 6.17, 8.16, 13.1	O

Table 6b: Security Signaling (Initiator, Sink)*Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/2 "Sink"*

Item	Capability	Reference	Status
1	Content security control command	[3] 6.4, 6.16, 8.17, 13.1	O

Table 7b: Message Fragmentation (Initiator, Sink)*Prerequisite: AVDTP 1/3 "Initiator" AND AVDTP 1/2 "Sink"*

Item	Capability	Reference	Status
1	Signaling message fragmentation	[3] 8.3	M

1.5.2 Acceptor Capabilities - Sink

Table 8b: Signaling Message Format (Acceptor, Sink)*Prerequisite: AVDTP 1/4 "Acceptor" AND AVDTP 1/2 "Sink"*

Item	Capability	Reference	Status
1	Transaction Label	[3] 8.4.1	M
2	Packet type	[3] 8.4.2	M
3	Message type	[3] 8.4.3	M
4	Signal identifier	[3] 8.4.4	M

Table 9b: Signaling Channel Establishment/Disconnection (Acceptor, Sink)*Prerequisite: AVDTP 1/4 "Acceptor" AND AVDTP 1/2 "Sink"*

Item	Capability	Reference	Status
1	Establish signaling channel	[3] 13.1	O
2	Disconnect signaling channel	[3] 13.1	O

Table 10b: Stream Discovery and Configuration (Acceptor, Sink)*Prerequisite: AVDTP 1/4 "Acceptor" AND AVDTP 1/2 "Sink"*

Item	Capability	Reference	Status
1	Stream discover response	[3] 6.4, 6.6, 8.6, 13.1	O
2	Stream get capabilities response	[3] 6.4, 6.7, 8.7, 13.1	C.2
3	Set configuration response	[3] 6.4, 6.9, 8.9, 13.1	O
4	Get configuration response	[3] 6.4, 6.10, 8.10, 13.1	O
5	Reconfigure response	[3] 6.4, 6.15, 8.11, 13.1	O
6	Stream get all capabilities response	[3] 6.4, 6.8, 8.8, 13.1	O

C.1: No longer used.

C.2: Mandatory IF AVDTP 10b/6 "Stream get all capabilities response", otherwise Optional.

Table 11b: Stream Establishment, Suspension and Release (Acceptor, Sink)*Prerequisite: AVDTP 1/4 "Acceptor" AND AVDTP 1/2 "Sink"*

Item	Capability	Reference	Status
1	Open stream response	[3] 6.4, 6.11, 8.12, 13.1	O
2	Start stream response	[3] 6.4, 6.12, 8.13, 13.1	O
3	Close stream response	[3] 6.4, 6.13, 8.14, 13.1	O
4	Suspend response	[3] 6.4, 6.14, 8.15, 13.1	O
5	Abort stream response	[3] 6.4, 6.17, 8.16, 13.1	O
6	General reject message	[3] 8.18	O

Table 12b: Security Signaling (Acceptor, Sink)*Prerequisite: AVDTP 1/4 "Acceptor" AND AVDTP 1/2 "Sink"*

Item	Capability	Reference	Status
1	Content security control response	[3] 6.4, 6.16, 8.17, 13.1	O

Table 13b: Message Fragmentation (Acceptor, Sink)*Prerequisite: AVDTP 1/4 "Acceptor" AND AVDTP 1/2 "Sink"*

Item	Capability	Reference	Status
1	Signaling message fragmentation	[3] 8.3	M

1.6 Message Error Handling Capabilities

Table 16: Message Error Handling Capabilities

Item	Capability	Reference	Status
1	Reporting Capability Error	[3] 8.20.6.2	M
2	Reject Corrupted Messages	[1] [2] 8.4.6	C.2
3	General Reject Response Includes Signal ID	[3] 8.18	M

C.1: No longer used.

C.2: Excluded for this Profile.

1.7 Upper Tester Interface

Table 17: Upper Test Interface

Item	Capability	Reference	Status
1	Upper Tester Interface provided	[3] 13	O

1.8 L2CAP requirements

Table 18: L2CAP Requirements

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Enhanced Retransmission Mode	[3] 9.11	O	[4] L2CAP 2/12
2	Streaming Mode	[3] 9.11	O	[4] L2CAP 2/13
3	FCS Option	[3] 9.11	C.1	[4] L2CAP 2/14

C.1: Mandatory IF AVDTP 18/1 “Enhanced Retransmission Mode”, otherwise Optional.

2 References

- [1] Audio/Video Distribution Transport Protocol Specification, Version 1.0
- [2] Audio/Video Distribution Transport Protocol Specification, Version 1.2
- [3] Audio/Video Distribution Transport Protocol Specification, Version 1.3
- [4] ICS Proforma for Logical Link Control and Adaptation Protocol (L2CAP)

3 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
	0.5	2001-06-01	Release to Associates
	0.7	2001-09-01	Release to Associates
	0.9	2001-11-01	Release to Associates
	0.90a	2002-02-01	Release
0	1.00	2003-02-01	Release for Voting Draft
1	Version 1.0	2003-05-31	Updated title and header
	Version 1.2 R00	2004-04-14	Updated Disclaimer and Copyright Notice. Clerical changes
2	Version 1.2 R01	2004-04-19	Corrected internal cross reference hyperlink
	1.2.2r1	2005-02-21	Editorial and format changes. Change document number.
3	1.2.2	2005-03-01	Prepare for publication.
	1.2.3r1	2005-03-11	Added Table 16 Errata Service Releases for ESR02 Errata Service Release to Specification Versions 1.1, 1.2, and Profiles.
4	1.2.3	2005-03-16	Prepare for publication.
	1.2.4r0,1	2005-07-07	Added second item to Table 16 (TSE #749). Added Table 17 (TSE 776 and TSE 777); removed TOC per Test Spec. Mgr. Deleted blank last page. Corrected cross-reference to [R1]. Corrected level 2 heading numbering.
5	1.2.4	2006-08-16	Prepare for publication
	1.2.5r0	2010-01-27	TSE 4273: Add Table 0: Profile versions
6	1.2.5	2009-12-01	Release for Synchronization Voting Draft
	1.3.0r0	2011-02-11	Prepare for publication
	1.3.0r1	2011-03-31	Update after AV F2F
	1.3.0r2	2011-11-15	Update for Core Spec 2.1+EDR
	1.3.0r3	2012-01-05	Implemented comments from BTI initial review
	1.3.0r4	2012-01-15	Fixed Table 16 item 3 for clarity
	1.3.0r5	2012-02-20	Revised to latest PICS template
	1.3.0r6	2012-04-03	Editorial updates
	1.3.0r7	2012-05-22	Applied conditional changes requested in BTI review.
	1.3.0r8	2012-05-31	Corrected Conditionals in Table 16
	1.3.0r9	2012-07-01	Editorial updates to align section numbering with published ICS template
7	1.3.0	2012-07-24	Prepare for publication.

Publication Number	Revision Number	Date	Comments
	1.3.1r00	2015-04-22	TSE 6232: Table 16 / C.1: Corrected to Mandatory. Editorial updates throughout document for consistency in conditional syntax.
	1.3.1r01	2015-06-05	Deleted Section 1.2 (Global Statement of Conformance) per current ICS template standards.
	1.3.1r02	2015-06-08	Review by Magnus Sommansson Removal of Appendix A – Acronyms and Abbreviations
	1.3.1r03	2015-06-11	Review by Alicia Courtney Converted to current document template.
8	1.3.1	2015-07-14	Prepared for TCRL 2015-1 publication
	1.3.2r00	2017-03-29	TSE 8372: Template conversion. Added additional ICS tables Source and Sink as the first level role.
9	1.3.2	2017-07-03	Approved by BTI. Prepared for TCRL 2017-1 publication.
10	1.3.3r00	2017-08-29	TSE 9738: Corrected note C.2 in Table 10.
	1.3.4r00–r01	2019-04-08 – 2019-06-19	TSE 11211 (rating 2): Added Tables 14a and 15a; updated Table 0; updated notes in several other tables throughout.
11	1.3.4	2019-07-28	Approved by BTI. Prepared for TCRL 2019-1 publication.
	1.3.4ed2r00–r02	2021-03-15 – 2021-05-19	TSE 16008 (rating 1): Updated Tables 14a and 15a statuses to reflect deprecation and withdrawal information. Set previous version 1.3.4 as publication number 11. Editorials from template and consistency checker.
	1.3.4 edition 2	2021-05-26	Approved by BTI on 2021-05-06. Prepared for edition 2 publication.
	1.3.4ed3r00	2021-10-14	TSE 17680 (rating 1): Updated deprecation and withdrawal dates and addressed other consistency checker editorials.
	1.3.4 edition 3	2021-11-22	Approved by BTI on 2021-11-08. Prepared for edition 3 publication.
	p12r00–02	2023-08-30 – 2023-11-27	TSE 23947 (rating 2): Added a Reference to the L2CAP ICS. Updated Tables 14a and 15a to reflect deprecated/withdrawn specs, removed conditionals, and relocated to the Versions section at the beginning of the document. Updated references globally. Removed the conditional from Table 14. Removed C.1 from Table 4, 4b, 10, 10b, 15, and 16. Updated Status of 4/6, 4b/6, 10/6, 10b/6, 14/6, 15/6, 16/1, and 16/3. Removed C.3 from Table 16. Updated capability names for 18/1 and 18/2 and added an ILD column to Table 18.
12	p12	2024-07-01	Approved by BTI on 2024-05-22. Prepared for TCRL 2024-1 publication.

Acknowledgments

Name	Company
Rüdiger Mosig	Berner and Mattner
Alicia Courtney	Broadcom
Ash Kapur	Broadcom
Jiny Bradshaw	CSR
David Trainor	CSR
Akira Miyajima	Denso
Morgan Lindqvist	Ericsson
Fisseha Mekuria	Ericsson
Yuan Quinton	Marvell
Michinori Masuda	Matsushita Electric Industrial
Tsuyoshi Okada	Matsushita Electric Industrial
Thomas Karlsson	Mecel
Stephen Raxter	National Analysis Center
Janne Hamalainen	Nokia
Thierry Wœlfflé	Parrot
Christian Bouffieux	Philips
Henk Koopmans	Philips
Emmanuel Mellery	Philips
Piotr Polak	Philips
Scott Walsh	Plantronics
Brian Gix	Qualcomm
John Larkin	Qualcomm
Wilhelm Hagg	Sony
Atsushi Ichise	Sony
Harumi Kawamura	Sony
Hiroyasu Noguchi	Sony
Masahiko Seki	Sony
Siân James	Symbian
Yoshinari Kumaki	Toshiba
Ichiro Tomoda	Toshiba