

Cycling Speed and Cadence Service (CSCS)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- **Revision:** CSCS.ICS.p6
- **Revision Date:** 2025-07-08
- **Prepared By:** BTI
- **Published during TCRL:** TCRL.pkg100



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2012–2025 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

1	General principles	4
1.1	Implementation Under Test (IUT) identification	4
1.2	Enforcement of inter-layer dependencies	4
2	ICS declarations.....	5
2.1	Versions	5
2.2	Transports.....	5
2.3	Service requirements	5
2.4	GATT requirements	6
2.5	SDP requirements.....	7
2.6	GAP requirements	7
3	References	8
4	Revision history and acknowledgments	9

1 General principles

1.1 Implementation Under Test (IUT) identification

Using the Bluetooth SIG qualification tool, the implementer is expected to declare details about what will be implemented.

1.2 Enforcement of inter-layer dependencies

This ICS includes one or more tables with inter-layer dependencies (ILDs). ILDs are used for specification requirements that are dependent on other supporting specifications. ILDs can refer to an individual ICS item in a separate layer (individual ILD), or it can refer to the full layer (full-layer ILD).

ILDs residing in an X2Core layer will be enforced from the Bluetooth SIG qualification tool in the following conditions, depending on where the referred ILD is residing:

Referred ILD resides in	Individual ILD	Full-layer ILD
Controller layer	Core-Complete configuration, or Referred layer is supported	N/A
Lower HCI layer	HCI is supported	N/A
Upper HCI layer	Core-Host configuration, or UHCI is supported	N/A
Host layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	N/A
X2Core layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	Core-Host configuration, or Core-Complete configuration

Table 1.1: Enforcement of an ILD within the Bluetooth SIG qualification tool

2 ICS declarations

2.1 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	CSCS v1.0	[1]	M

Table 0a: X.Y.Z Versions

Item	Version	Reference	Status
1	CSCS v1.0.1	[4]	C.1

C.1: Optional IF CSCS 0/1 “CSCS v1.0”, otherwise Excluded.

2.2 Transports

Table 1: Transport Requirements

Item	Transport	Reference	Status
1	Service supported over BR/EDR	[1] 1.5	C.1, C.3
2	Service supported over LE	[1] 1.5	C.2, C.3

C.1: Excluded for this Service IF CORE 41/2 “LE Core Configuration”.

C.2: Excluded for this Service IF CORE 41/1 “BR/EDR Core Configuration”.

C.3: Mandatory to support at least one.

2.3 Service requirements

Table 2: Service Requirements

Item	Capability	Reference	Status
1	Wheel Revolution Data	[1] 3.2.1	C.1
2	Crank Revolution Data	[1] 3.2.1	C.1
3	Multiple Sensor Locations	[1] 3.2.1	O

C.1: Mandatory to support at least one.

Table 3: Service Requirements

Item	Capability	Reference	Status
1	Cycling Speed and Cadence Service	[1] 2	M
2	CSC Measurement Characteristic	[1] 3.1	M
3	Cumulative Wheel Revolutions and Last Wheel Event Time fields of CSC Measurement Characteristic	[1] 3.1.1.2	C.1
4	Cumulative Crank Revolutions and Last Crank Event Time fields of CSC Measurement Characteristic	[1] 3.1.1.3	C.2
5	Cumulative Wheel Revolutions value can count in reverse	[1] 3.1.1.2	C.3

Item	Capability	Reference	Status
6	CSC Feature Characteristic	[1] 3.2	M
7	Sensor Location Characteristic	[1] 3.3	C.4
8	SC Control Point Characteristic	[1] 3.4	C.5
9	Set Cumulative Value Procedure – Set to zero	[1] 3.4.1, 3.4.2.1	C.1
10	Set Cumulative Value Procedure – Set to non-zero	[1] 3.4.1, 3.4.2.1	C.3
11	Update Sensor Location Procedure	[1] 3.4.1, 3.4.2.2	C.6
12	Request Supported Sensor Location Procedure	[1] 3.4.1, 3.4.3.3	C.6
13	SDP Record Support	[1] 4	C.7
14	Indications for changes of supported features	[4] 3, 3.2.1	C.8

- C.1: Mandatory IF CSCS 2/1 “Wheel Revolution Data”, otherwise Excluded.
C.2: Mandatory IF CSCS 2/2 “Crank Revolution Data”, otherwise Excluded.
C.3: Optional IF CSCS 2/1 “Wheel Revolution Data”, otherwise Excluded.
C.4: Mandatory IF CSCS 2/3 “Multiple Sensor Locations”, otherwise Optional.
C.5: Mandatory IF CSCS 2/1 “Wheel Revolution Data” OR CSCS 2/3 “Multiple Sensor Locations”, otherwise Excluded.
C.6: Mandatory IF CSCS 2/3 “Multiple Sensor Locations”, otherwise Excluded.
C.7: Mandatory IF CSCS 1/1 “Service supported over BR/EDR”, otherwise Excluded.
C.8: Optional IF CSCS 0/1 “CSCS v1.0” AND NOT CSCS 0a/1 “CSCS v1.0.1”, otherwise Mandatory.

Table 3a: Indications for changes of supported features

Prerequisite: CSCS 3/14 “Indications for changes of supported features”

Item	Capability	Reference	Status
1	Changeable CSC Feature	[4] 3	O
2	CSC Feature characteristic indication	[4] 3.2.1	C.1

- C.1: Mandatory IF CSCS 3a/1 “Changeable CSC Feature” AND (CSCS 6/1 “Bondable mode (BR/EDR)” OR CSCS 6/2 “Bondable mode (LE)”), otherwise Excluded.

2.4 GATT requirements

Table 4: GATT Requirements

Item	Capability	Reference	Status	Inter-Layer Dependency
1	No longer used	N/A	N/A	N/A
1a	GATT Server over BR/EDR	[1] 1.4	C.2	[2] GATT 1a/4
1b	GATT Server over LE	[1] 1.4	C.3	[2] GATT 1a/3
2	Write Characteristic Value	[1] 1.4	C.1	[2] GATT 4/14
3	Single Notification	[1] 1.4	M	[2] GATT 4/17
4	Indications	[1] 1.4	C.1	[2] GATT 4/18
5	Read Characteristic Descriptors	[1] 1.4	M	[2] GATT 4/19
6	Write Characteristic Descriptors	[1] 1.4	M	[2] GATT 4/21

- C.1: Mandatory IF CSCS 3/8 “SC Control Point Characteristic”, otherwise not defined.
C.2: Mandatory IF CSCS 1/1 “Service supported over BR/EDR”, otherwise not defined.



C.3: Mandatory IF CSCS 1/2 “Service supported over LE”, otherwise not defined.

2.5 SDP requirements

Table 5: SDP Requirements

Prerequisite: CSCS 1/1 “Service supported over BR/EDR”

Item	Capability	Reference	Status
1	SDP record present for CSCS	[1] 4	M
2–3	No longer used	N/A	N/A

2.6 GAP requirements

Table 6: GAP Requirements

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Bondable mode (BR/EDR)	[1] 3	O	[3] GAP 1/7
2	Bondable mode (LE)	[1] 3	O	[3] GAP 24/2
3	Bonding procedure	[1] 3	C.1	[3] GAP 24/3

C.1: Mandatory IF CSCS 6/2 “Bondable mode (LE)”, otherwise not defined.

3 References

- [1] Cycling Speed and Cadence Service Specification, Version 1.0 or later
- [2] ICS Proforma for Generic Attribute Profile (GATT)
- [3] ICS Proforma for Generic Access Profile (GAP)
- [4] Cycling Speed and Cadence Service Specification, Version 1.0.1

4 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
0	1.0.0	2012-08-21	Adopted by the Bluetooth SIG Board of Directors
	1.0.1r00	2016-07-29	TSE 7386: In Table 3, deleted redundant conditionals C.6 and C.7 and renumbered remaining conditionals.
1	1.0.1	2016-12-13	Approved by BTI. Prepared for TCRL 2016-2 publication.
	1.0.2r00	2018-02-07	TSE 9949 (rating 1): Converted ICS template. Added Table 0 for versions.
2	1.0.2	2018-06-27	Approved by BTI. Prepared for TCRL 2018-1 publication.
	1.0.3r00	2018-10-02	TSE 10858 (rating 1): Corrected capability names in Table 2
3	1.0.3	2018-11-21	Approved by BTI. Prepared for TCRL 2018-2 publication.
	p4r00–r02	2022-03-18 – 2022-05-13	TSE 18714 (rating 1): Editorials to align the document with the latest ICS template in anticipation of a future .Z release. Assigned publication number 3 to previous v1.0.3 and aligned copyright page with v2 of the DNMD. Consistency checker update.
4	p4	2022-06-28	Approved by BTI on 2022-05-31. Prepared for TCRL 2022-1 publication.
	p5r00–r02	2023-09-06 – 2023-09-25	TSE 17239 (rating 4): Per E16649, added new Item 14 and C.8 to Table 3 and added Table 3a. Added Table 0a and Item 1 for CSCS v1.0.1 and conditional C.1 in Table 0 for CSCS v1.0. Added Table 6 for GAP inter-layer dependencies. Added a reference for CSCS v1.0.1. Updated the acknowledgments. TSE 23352 (rating 2): Resolved GATT and SDP inter-layer dependencies. In Table 4, marked Item 1 as no longer used, added Items 1a and 1b, and added conditionals C.2 and C.3. In Table 5, updated the Capability value for Item 1, marked Items 2 and 3 as no longer used, and deleted the ILD column. Updated references. Deleted draft revision history comments prior to p0. Editorials to align the document with the latest ICS template.
5	p5	2024-07-01	Approved by BTI on 2024-04-21. Prepared for TCRL 2024-1 publication.

Publication Number	Revision Number	Date	Comments
	p6r00	2025-04-30	TSE 27320 (rating 1): Updated the Status value for CSCS 1/1 and CSCS 1/2. In Table 1, added conditions C.1 and C.2 and renumbered C.1 as C.3. Updated the capability for CSCS 4/3. Incorporated editorials to align the document with the latest ICS template, including updates to Section 1 and the addition of a section heading for the ICS declarations section.
6	p6	2025-07-08	Approved by BTI on 2025-06-15. Prepared for TCRL pkg100 publication.

Acknowledgments

Name	Company
Dejan Berec	Bluetooth SIG, Inc.
Jawid Mirani	Bluetooth SIG, Inc.
Robert Hughes	Intel
Guillaume Schatz	Polar