Find Me Profile (FMP)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- Revision: FMP.ICS.p5
- Revision Date: 2023-02-07
- Prepared By: BTI
- Published during TCRL: TCRL.2022-2



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement ("PCLA") and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. ("Bluetooth SIG") and its members, including the PCLA and other agreements posted on Bluetooth SIG's website located at <u>www.bluetooth.com</u>.

THIS DOCUMENT IS PROVIDED "AS IS" AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2011–2023 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

1	Ident	tification of the implementation	.4
	1.1	Implementation Under Test (IUT) identification	.4
	1.2	Versions	. 5
	1.3	Roles	. 5
	1.4	Transports	. 5
	1.5	Find Me Target	
	1.5.1	Services – Find Me Target	
	1.5.2	GATT Requirements – Find Me Target	5
	1.5.3	GAP Requirements – Find Me Target	6
	1.6	Find Me Locator	.7
	1.6.1	Features – Find Me Locator	7
	1.6.2	Discover Services & Characteristics – Find Me Locator	7
	1.6.3		
	1.6.4	GAP Requirements – Find Me Locator	8
2	Refe	rences	.9
3	Revi	sion history and acknowledgments	10

1 Identification of the implementation

1.1 Implementation Under Test (IUT) identification

Identification of the Implementation Under Test (IUT) is to be filled in to provide as much detail as possible regarding version numbers and configuration options.

An ICS contact person to respond to queries regarding information supplied in this ICS proforma is named in the Declaration of Compliance: Summary of Selected Specifications in Implementation.



1.2 Versions

Table 0: Major Versions (X.Y)

Item	Version	Reference	Status
1	FMP v1.0	[1]	М

1.3 Roles

Table 1: Role Requirements

Item	Role	Reference	Status
1	Find Me Target	[1] 2.1	C.1
2	Find Me Locator	[1] 2.1	C.1

C.1: Mandatory to support at least one of FMP 1/1 "Find Me Target" OR FMP 1/2 "Find Me Locator".

1.4 Transports

Table 2: Transport Requirements

Item	Transport	Reference	Status
1	Profile supported over BR/EDR	[1]	C.1
2	Profile supported over LE	[1]	Μ

C.1: Excluded for this Profile.

1.5 Find Me Target

1.5.1 Services – Find Me Target

Table 3: Services – Find Me Target

Prerequisite: FMP 1/1 "Find Me Target"

Item	Service	Reference	Status	Inter-Layer Dependency
1	Immediate Alert Service	[1] 3.1	Μ	[2] IAS 2/1
2	No longer used	N/A	N/A	N/A

1.5.2 GATT Requirements – Find Me Target

Table 4: GATT Requirements – Find Me Target

Prerequisite: FMP 1/1 "Find Me Target"

Item	Capability	Reference	Status	Inter-Layer Dependency
1	GATT Server over LE	[1] 2.1	М	[3] GATT 1a/3
2	No longer used	N/A	N/A	N/A
3	No longer used	N/A	N/A	N/A



Item	Capability	Reference	Status	Inter-Layer Dependency
4	Discover All Primary Services	[1] 7	М	[3] GATT 4/2
5	Discover Primary Services by Service UUID	[1] 7	М	[3] GATT 4/3
6	Discover All Characteristics of a Service	[1] 7	М	[3] GATT 4/5
7	Write without Response	[1] 7	М	[3] GATT 4/12

1.5.3 GAP Requirements – Find Me Target

Table 5: GAP Requirements – Find Me Target

Prerequisite: FMP 1/1 "Find Me Target"

ltem	Capability	Reference	Status	Inter-Layer Dependency
1	Peripheral	[1] 5	C.3	[4] GAP 5/3 or GAP 38/3
2	Central	[1] 5	C.3	[4] GAP 5/4 or GAP 38/4
3–4	No longer used	N/A	N/A	N/A
5	Limited discoverable mode (Peripheral)	[1] 5.1.1	C.1	[4] GAP 22/2
6	LE security mode 1 (Peripheral)	[1] 6.1	C.1	[4] GAP 25/1
7	LE security mode 1 (Central)	[1] 6.1	C.2	[4] GAP 35/1
8	Unauthenticated Pairing (LE security mode 1 level 2) (Central)	[1] 6.1	C.2	[4] GAP 35/8
9	Unauthenticated Pairing (LE security mode 1 level 2) (Peripheral)	[1] 6.1	C.4	[4] GAP 25/8
10	Authenticated Pairing (LE security mode 1 level 3) (Central)	[1] 6.1	C.2	[4] GAP 35/7
11	Authenticated Pairing (LE security mode 1 level 3) (Peripheral)	[1] 6.1	C.4	[4] GAP 25/7

C.1: Mandatory IF FMP 5/1 "Peripheral", otherwise not defined.

C.2: Mandatory IF FMP 5/2 "Central", otherwise not defined.

- C.3: Mandatory to support at least one of FMP 5/1 "Peripheral" OR FMP 5/2 "Central".
- C.4: Mandatory to support at least one of FMP 5/9 "Unauthenticated Pairing (LE security mode 1 level 2) (Peripheral)" OR FMP 5/11 "Authenticated Pairing (LE security mode 1 level 3) (Peripheral)" IF FMP 5/1 "Peripheral", otherwise not defined.

Table 6: No longer used



1.6 Find Me Locator

1.6.1 Features – Find Me Locator

Table 7: Features – Find Me Locator

Prerequisite: FMP 1/2 "Find Me Locator"

Item	Feature	Reference	Status
1	Write alert level to cause an alert	[1] 4.3	Μ
2	Write alert level to cancel an alert	[1] 4.3	М

1.6.2 Discover Services & Characteristics – Find Me Locator

Table 8: Discover Services & Characteristics – Find Me Locator

Prerequisite: FMP 1/2 "Find Me Locator"

Item	Capability	Reference	Status
1	Discover Immediate Alert Service	[1] 4.1	Μ
2	Discover Alert Level characteristic for Immediate Alert	[1] 4.2	М
3	A bonded Find Me Locator shall start encryption at connection creation	[1] 5.2.3	C.1

C.1: Mandatory IF FMP 10/1 "Central", otherwise Excluded.

1.6.3 GATT Requirements – Find Me Locator

Table 9: GATT Requirements – Find Me Locator

Prerequisite: FMP 1/2 "Find Me Locator"

Item	Capability	Reference	Status	Inter-Layer Dependency
1	GATT Client over LE	[1] 7	М	[3] GATT 1a/1
2–3	No longer used	N/A	N/A	N/A
4	Discover All Primary Services	[1] 7	C.3	[3] GATT 3/2
5	Discover Primary Services by Service UUID	[1] 7	C.3	[3] GATT 3/3
6	Discover All Characteristics of a Service	[1] 7	М	[3] GATT 3/5
7	Write without Response	[1] 7	М	[3] GATT 3/12

C.1–C.2: No longer used.

C.3: Mandatory to support at least one of FMP 9/4 "Discover All Primary Services" OR FMP 9/5 "Discover Primary Services by Service UUID".



1.6.4 GAP Requirements – Find Me Locator

Table 10: GAP Requirements – Find Me Locator

Prerequisite: FMP 1/2 "Find Me Locator"

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Central	[1] 5	C.3	[4] GAP 5/4 or GAP 38/4
2	Peripheral	[1] 5	C.3	[4] GAP 5/3 or GAP 38/3
3–4	No longer used	N/A	N/A	N/A
5	Limited discoverable mode (Peripheral)	[1] 5.1.1	C.2	[4] GAP 22/2
6	LE security mode 1 (Peripheral)	[1] 6.1	C.2	[4] GAP 25/1
7	LE security mode 1 (Central)	[1] 6.1	C.1	[4] GAP 35/1
8	Unauthenticated Pairing (LE security mode 1 level 2) (Central)	[1] 6.1	C.1	[4] GAP 35/8
9	Unauthenticated Pairing (LE security mode 1 level 2) (Peripheral)	[1] 6.1	C.4	[4] GAP 25/8
10	Authenticated Pairing (LE security mode 1 level 3) (Central)	[1] 6.1	C.1	[4] GAP 35/7
11	Authenticated Pairing (LE security mode 1 level 3) (Peripheral)	[1] 6.1	C.4	[4] GAP 25/7

C.1: Mandatory IF FMP 10/1 "Central", otherwise not defined.

C.2: Mandatory IF FMP 10/2 "Peripheral", otherwise not defined.

C.3: Mandatory to support at least one of FMP 10/2 "Peripheral" OR FMP 10/1 "Central".

C.4: Mandatory to support at least one of FMP 10/9 "Unauthenticated Pairing (LE security mode 1 level 2) (Peripheral)" OR FMP 10/11 "Authenticated Pairing (LE security mode 1 level 3) (Peripheral)" IF FMP 10/2 "Peripheral", otherwise not defined.

Table 11: No longer used



2 References

- [1] Find Me Profile Specification, Version 1.0
- [2] ICS Proforma for Immediate Alert Service (IAS)
- [3] ICS Proforma for Generic Attribute Profile (GATT)
- [4] ICS Proforma for Generic Access Profile (GAP)



3 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
	D09r01 - r05	2011-02-06 to 2011-05- 23	First draft, based on Proximity Profile ICS Renamed section 3.2 & added additional entry to table. Updated to align with PXP ICS plus other corrections
	1.0.0 r0 - r3	2011-05-23 to 2011-06- 16	BTI review Comments from JD & JN, plus responses. Corrections from BTI call of 13/June Comments from MS plus responses
0	1.0.0	2011-06-26	Prepare for publication.
	1.0.1r0	2011-11-23	TSE 4592: Table 6 and Table 11; change C.1
	1.0.1r1	2012-02-09	TSE 4636: Tables 2, 4, 5, and 10 items and references updated.
1	1.0.1	2012-03-30	Prepare for publication.
	1.0.2r01	2013-09-30	TSE 5355: Updates to item 8/3 and addition of conditional C.1
2	1.0.2	2013-12-03	Prepare for Publication
	1.0.3r00	2015-06-15	TSE 6190: Updated Conditionals C.1 in Table 5 and C.2 in Table 10 from Mandatory to Optional. Deleted Section 1.2 (Global Statement of Conformance) per current ICS template standards. Minor editorial updates in conditionals towards current ICS conventions.
	1.0.3r01	2015-06-16	Converted to current ICS document template.
3	1.0.3	2015-07-14	Prepared for TCRL 2015-1 publication.
	1.0.4r00	2017-10-07	TSE 9947 (rating 1): Update ICS template.
4	1.0.4	2018-06-27	Approved by BTI. Prepared for TCRL 2018-1 publication.
	p5r00–r01	2022-10-14 – 2022-10-19	TSE 19291 (rating 2): Updated to align with current ICS conventions/template. Removed Support columns and added an Inter-Layer Dependency column where appropriate. Updated references. Removed incorrect ICS reference in Table 3, Item 2. Removed references to BR/EDR (excluded for this Profile) and made references to LE mandatory. Added condition to make either Peripheral or Central role mandatory. Added a Publication Number column to the Revision History. Revised the document numbering convention, setting the last release publication of 1.0.4 as p4. Performed additional template-related formatting fixes. Replaced the Bluetooth logo in the footer and updated the copyright page to align with v2 of the DNMD.
5	р5	2023-02-07	Approved by BTI on 2022-12-28. Prepared for TCRL 2022-2 publication.



Acknowledgments

Name	Company
Magnus Sommansson	CSR
Steve Davies	Nokia
Kanji Kerai	Nokia
Jason Hillyard	Wicentric

