

Hearing Access Service (HAS)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- **Revision:** HAS.ICS.p1
- **Revision Date:** 2025-02-18
- **Prepared By:** Hearing Aid Working Group
- **Published during TCRL:** TCRL.2025-1



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2021–2025 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

1	General principles	4
1.1	Implementation Under Test (IUT) identification	4
1.2	Enforcement of inter-layer dependencies	4
2	ICS declarations.....	5
2.1	Versions	5
2.2	Transports.....	5
2.3	Service requirements	5
2.3.1	Hearing Access Service.....	5
2.4	GATT requirements	6
3	References	7
4	Revision history and acknowledgments	8

1 General principles

1.1 Implementation Under Test (IUT) identification

Using the Bluetooth SIG qualification tool, the implementer is expected to declare details about what will be implemented.

1.2 Enforcement of inter-layer dependencies

This ICS includes one or more tables with inter-layer dependencies (ILDs). ILDs are used for specification requirements that are dependent on other supporting specifications. ILDs can refer to an individual ICS item in a separate layer (individual ILD), or it can refer to the full layer (full-layer ILD).

ILDs residing in an X2Core layer will be enforced from the Bluetooth SIG qualification tool in the following conditions, depending on where the referred ILD is residing:

Referred ILD resides in	Individual ILD	Full-layer ILD
Controller layer	Core-Complete configuration, or Referred layer is supported	N/A
Lower HCI layer	HCI is supported	N/A
Upper HCI layer	Core-Host configuration, or UHCI is supported	N/A
Host layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	N/A
X2Core layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	Core-Host configuration, or Core-Complete configuration

Table 1.1: Enforcement of an ILD within the Bluetooth SIG qualification tool

2 ICS declarations

2.1 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	HAS v1.0	[1]	M

Table 1: X.Y.Z Versions

Item	Version	Reference	Status
1	HAS v1.0.1	[3]	O

2.2 Transports

Table 2: Transport Requirements

Item	Transport	Reference	Status
1	Service supported over BR/EDR	[1] 1.5	C.1
2	Service supported over LE	[1] 1.5	M

C.1: Excluded for this Service.

2.3 Service requirements

2.3.1 Hearing Access Service

Table 3: Hearing Access Service

Item	Capability	Reference	Status
1	Hearing Aid Preset Control Point Characteristic	[1] 3.2	O
1a	Hearing Aid Preset Control Point Characteristic Notifications	[1] 3	C.5
2	Active Preset Index Characteristic	[1] 3.3	C.1
3	Hearing Aid Features Characteristic	[1] 3.1	M
4	Hearing Aid Features Characteristic Notification	[1] 3.1	C.2
5	Preset Synchronization Support	[1] 3.1	O
6	Dynamic Presets	[1] 3.1	O
7	Writable Presets	[1] 3.1	O
8	Independent Presets	[1] 3.1	O
9	Binaural Hearing Aid	[1] 3.1	C.3
10	Monaural Hearing Aid	[1] 3.1	C.3
11	Banded Hearing Aid	[1] 3.1	C.3
12	One or More Writable Preset Records	[1] 3.1	C.4

Item	Capability	Reference	Status
13	One or More Not Writable Preset Records	[1] 3.1	O
14	One or More Not Available Preset Records	[1] 3.1	O

- C.1: Mandatory IF HAS 3/1 “Hearing Aid Preset Control Point Characteristic”, otherwise Excluded.
C.2: Optional IF HAS 3/3 “Hearing Aid Features Characteristic”, otherwise Excluded.
C.3: Mandatory to support at least one.
C.4: Optional IF HAS 3/7 “Writable Presets”, otherwise Excluded.
C.5: Optional IF HAS 5/6 “Enhanced ATT bearer supported over LE”, otherwise Excluded.

Table 4: Hearing Aid Preset Control Point Requirements

Prerequisite: HAS 3/1 “Hearing Aid Preset Control Point Characteristic”

Item	Capability	Reference	Status
1	Read Presets Request Procedure	[1] 3.2.2.1	M
2	Read Preset Response Procedure	[1] 3.2.2.1	M
3	Preset Changed Procedure	[1] 3.2.2.2	C.2
4	Write Preset Name Procedure	[1] 3.2.2.3	C.1
5	Set Active Preset Procedure	[1] 3.2.2.4	M
6	Set Next Preset Procedure	[1] 3.2.2.5	M
7	Set Previous Preset Procedure	[1] 3.2.2.6	M
8	Set Active Preset – Synchronized Locally Procedure	[1] 3.2.2.7	C.3
9	Set Next Preset – Synchronized Locally Procedure	[1] 3.2.2.8	C.3
10	Set Previous Preset – Synchronized Locally Procedure	[1] 3.2.2.9	C.3

- C.1: Mandatory IF HAS 3/7 “Writable Presets”, otherwise Excluded.
C.2: Mandatory IF HAS 3/6 “Dynamic Presets”, otherwise Excluded.
C.3: Mandatory IF HAS 3/5 “Preset Synchronization Support”, otherwise Excluded.

2.4 GATT requirements

Table 5: GATT Requirements

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Write Characteristic Value	[1] 1.4	C.1	[2] GATT 4/14
2	Single Notification	[1] 1.4	C.2	[2] GATT 4/17
3	Indications	[1] 1.4	C.1	[2] GATT 4/18
4	Read Characteristic Descriptors	[1] 1.4	C.1	[2] GATT 4/19
5	Write Characteristic Descriptors	[1] 1.4	C.1	[2] GATT 4/21
6	Enhanced ATT bearer over LE	[1] 3	O	[2] GATT 2/3a

- C.1: Mandatory IF HAS 3/1 “Hearing Aid Preset Control Point Characteristic”, otherwise Optional.
C.2: Mandatory IF HAS 3/1a “Hearing Aid Preset Control Point Characteristic Notifications”, otherwise not defined.

3 References

- [1] Hearing Access Service Specification, Version 1.0 or later
- [2] ICS Proforma for Generic Attribute Profile (GATT)
- [3] Hearing Access Service Specification, Version 1.0.1

4 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
0	p0	2022-06-14	Adopted by the BoD on 2022-06-07. Prepared for initial publication.
	p1r00–r01	2024-12-18 – 2025-01-02	TSE 26910 (rating 1): Per E19133, E23816, and E25541, added Table 1 to account for HAS v1.0.1 as part of the .Z release. Updated the references list. Editorial updates to align with the current ICS template and for consistency in C.3 for Table 3 and Items 5/2 and 5/6.
1	p1	2025-02-18	Approved by BTI on 2025-02-09. HAS v1.0.1 adopted by the BoD on 2024-02-11. Prepared for TCRL 2025-1 publication.

Acknowledgments

Name	Company
Gene Chang	Bluetooth SIG, Inc.