Heart Rate Profile (HRP)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

Revision: HRP.ICS.p4Revision Date: 2025-11-04

Prepared By: BTI

Published during TCRL: TCRL.pkg101



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement ("PCLA") and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. ("Bluetooth SIG") and its members, including the PCLA and other agreements posted on Bluetooth SIG's website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED "AS IS" AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2011–2025 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.

Contents

1	Gene	eral principles	4
	1.1	Implementation Under Test (IUT) identification	4
	1.2	Enforcement of inter-layer dependencies	
2	ICS o	leclarations	
	2.1	Versions	5
	2.2	Roles	
	2.3	Transports	
	2.4	Heart Rate Sensor role	
	2.4.1	Services (Heart Rate Sensor)	
	2.4.2	Device Information Service requirements (Heart Rate Sensor)	6
	2.4.3	GAP requirements (Heart Rate Sensor)	6
	2.5	Collector role	6
	2.5.1	Discover Services and Characteristics (Collector)	6
	2.5.2	Features (Collector)	7
	2.5.3	Discover DIS and Related Characteristics (Collector)	
	2.5.4	GATT requirements (Collector)	7
	2.5.5	GAP requirements (Collector)	8
3	Refe	rences	9
4	Revis	sion history and acknowledgments	. 10

1 General principles

1.1 Implementation Under Test (IUT) identification

Using the Bluetooth SIG qualification tool, the implementer is expected to declare details about what will be implemented.

1.2 Enforcement of inter-layer dependencies

This ICS includes one or more tables with inter-layer dependencies (ILDs). ILDs are used for specification requirements that are dependent on other supporting specifications. ILDs can refer to an individual ICS item in a separate layer (individual ILD), or it can refer to the full layer (full-layer ILD).

ILDs residing in an X2Core layer will be enforced from the Bluetooth SIG qualification tool in the following conditions, depending on where the referred ILD is residing:

Referred ILD resides in	Individual ILD	Full-layer ILD
Controller layer	Core-Complete configuration, or Referred layer is supported	N/A
Lower HCI layer	HCI is supported	N/A
Upper HCI layer	Core-Host configuration, or UHCI is supported	N/A
Host layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	N/A
X2Core layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	Core-Host configuration, or Core-Complete configuration

Table 1.1: Enforcement of an ILD within the Bluetooth SIG qualification tool

2 ICS declarations

2.1 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	HRP v1.0	[1]	М

2.2 Roles

Table 1: Role Requirements

Item	Transport	Reference	Status
1	Heart Rate Sensor	[1] 2.1	C.1
2	Collector	[1] 2.1	C.1

C.1: Mandatory to support at least one.

2.3 Transports

Table 2: Transport Requirements

Item	Transport	Reference	Status
1	Profile supported over BR/EDR	[1] 2.5	C.1
2	Profile supported over LE	[1] 2.5	C.2, C.3

C.1: Excluded for this Profile.

C.2: Excluded for this Profile IF CORE 41/1 "BR/EDR Core Configuration".

C.3: Mandatory for this Profile.

2.4 Heart Rate Sensor role

2.4.1 Services (Heart Rate Sensor)

Table 3: Services (Heart Rate Sensor)

Prerequisite: HRP 1/1 "Heart Rate Sensor"

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Heart Rate Service	[1] 3.1	М	[2] HRS 2/1
2	Include Heart Rate Service UUID in AD in GAP Discoverable Mode	[1] 3.1.1	0	N/A
3	Include Local Name in AD or Scan Response	[1] 3.1.2	0	N/A
4	Device Information Service	[1] 3.2	М	[3] DIS 2/1

2.4.2 Device Information Service requirements (Heart Rate Sensor)

Table 4: Device Information Service Requirements (Heart Rate Sensor)

Prerequisite: HRP 1/1 "Heart Rate Sensor"

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Manufacturer Name String Characteristic	[1] 3.2	М	[3] DIS 2/2

2.4.3 GAP requirements (Heart Rate Sensor)

Table 5: GAP Requirements (Heart Rate Sensor)

Prerequisite: HRP 1/1 "Heart Rate Sensor"

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Peripheral	[1] 2.4	М	[5] GAP 5/3
2	Bondable mode	[1] 6.1	0	[5] GAP 24/2
3	LE security mode 1	[1] 6.1	C.1	[5] GAP 25/1
4	Unauthenticated Pairing (LE security mode 1 level 2)	[1] 6.1	C.2	[5] GAP 25/8
5	Authenticated Pairing (LE security mode 1 level 3)	[1] 6.1	C.2	[5] GAP 25/7

C.1: Mandatory IF HRP 5/2 "Bondable mode", otherwise not defined.

C.2: Mandatory to support at least one IF HRP 5/2 "Bondable mode", otherwise not defined.

Table 6: No longer used

2.5 Collector role

Table 7: No longer used

2.5.1 Discover Services and Characteristics (Collector)

Table 8: Discover Services and Characteristics (Collector)

Prerequisite: HRP 1/2 "Collector"

Item	Capability	Reference	Status
1	Discover Heart Rate Service	[1] 4.2.1	М
2	Discover Heart Rate Measurement characteristic	[1] 4.3.1.1	М
3	Discover Heart Rate Measurement – Client Characteristic Configuration Descriptor	[1] 4.3.1.1	М
4	Discover Body Sensor Location characteristic	[1] 4.3.1.2	0
5	Discover Heart Rate Control Point characteristic	[1] 4.3.1.3	C.1



C.1: Mandatory IF HRP 9/4 "Write Heart Rate Control Point characteristic – Reset Energy Expended", otherwise Optional.

2.5.2 Features (Collector)

Table 9: Features (Collector)

Prerequisite: HRP 1/2 "Collector"

Item	Capability	Reference	Status
1	Configure Heart Rate Measurement characteristic for notifications	[1] 4.4	М
2	Receive Heart Rate Measurement characteristic notifications	[1] 4.4	М
3	Read Body Sensor Location characteristic	[1] 4.5	0
4	Write Heart Rate Control Point characteristic – Reset Energy Expended	[1] 4.6.1	0
5	Verify Bond Status on Reconnection	[1] 5.2.2	C.1

C.1: Mandatory IF HRP 12/3 "Bondable mode", otherwise Excluded.

2.5.3 Discover DIS and Related Characteristics (Collector)

Table 10: DIS and Related Characteristics (Collector)

Prerequisite: HRP 1/2 "Collector"

Item	Capability	Reference	Status
1	Discover Device Information Service	[1] 4.2.2	0
2	Manufacturer Name String Characteristic	[1] 3.2, 4.3.2, 4.7	C.2

C.1: No longer used.

C.2: Optional IF HRP 10/1 "Discover Device Information Service", otherwise Excluded.

2.5.4 GATT requirements (Collector)

Table 11: GATT Requirements (Collector)

Prerequisite: HRP 1/2 "Collector"

Item	Capability	Reference	Status	Inter-Layer Dependency
1	No longer used	N/A	N/A	N/A
2	GATT Client over LE	[1] 2.5	М	[4] GATT 1a/1
3	Discover All Primary Services	[1] 4.2	C.1	[4] GATT 3/2
4	Discover Primary Services by Service UUID	[1] 4.2	C.1	[4] GATT 3/3
5	Discover All Characteristics of a Service	[1] 4.3.1, 4.3.2	C.2	[4] GATT 3/5
6	Discover Characteristics by UUID	[1] 4.3.1, 4.3.2	C.2	[4] GATT 3/6
7	Discover All Characteristic Descriptors	[1] 4.3.1	М	[4] GATT 3/7
8	Read Characteristic Value	[1] 4.5	C.3	[4] GATT 3/8

Item	Capability	Reference	Status	Inter-Layer Dependency
9	Write Characteristic Value	[1] 4.6	C.4	[4] GATT 3/14
10	Single Notification	[1] 4.4	М	[4] GATT 3/17
11	Read Characteristic Descriptors	[1] 4.1	М	[4] GATT 3/19
12	Write Characteristic Descriptors	[1] 4.1	М	[4] GATT 3/21

- C.1: Mandatory to support at least one.
- C.2: Mandatory to support at least one.
- C.3: Mandatory IF HRP 9/3 "Read Body Sensor Location characteristic", otherwise Optional.
- C.4: Mandatory IF HRP 9/4 "Write Heart Rate Control Point characteristic Reset Energy Expended", otherwise Optional.

2.5.5 GAP requirements (Collector)

Table 12: GAP Requirements (Collector)

Prerequisite: HRP 1/2 "Collector"

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Central	[1] 2.4	М	[5] GAP 5/4
2	LE security mode 1	[1] 6.2	М	[5] GAP 35/1
3	Bondable mode	[1] 6.1	0	[5] GAP 34/2
4	Unauthenticated Pairing (LE security mode 1 level 2)	[1] 6.1	М	[5] GAP 35/8
5	Authenticated Pairing (LE security mode 1 level 3)	[1] 6.1	М	[5] GAP 35/7

Table 13: No longer used

3 References

- [1] Heart Rate Profile, Version 1.0
- [2] ICS Proforma for Heart Rate Service (HRS)
- [3] ICS Proforma for Device Information Service (DIS)
- [4] ICS Proforma for Generic Attribute Profile (GATT)
- [5] ICS Proforma for Generic Access Profile (GAP)

4 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
0	1.0.0	2011-07-12	Adopted by Bluetooth SIG Board of Directors.
1	1.0.1r0	2011-11-04	TSE 4581: Table 9, Change C.1. Table 12, add row 3 TSE 4555: Tables 2, 5, 11, 12. Cf. TSE 4515 for HTP ICS
	1.0.2r00	2016-08-16	TSE 7488: Added Table 0. Corrected reference in Table 3. Updated conditionals for Table 5, 8, 9, and 10. Updated References section.
2	1.0.2	2016-12-13	Approved by BTI. Prepared for TCRL 2016-2 publication.
	1.0.2 edition 2r00	2018-11-26	Editorial changes only. Template updated. Revision History and contributors moved to the end of the document.
	1.0.2 edition 2	2019-12-13	Updated copyright page and confidentiality markings to support new Documentation Marking Requirements, performed minor formatting updates, and accepted all tracked changes to prepare for edition 2 publication.
	p3r00-r01	2022-10-17 – 2022-11-15	TSE 19334 (rating 2): Updated to align with current ICS conventions/template. Replaced SM references with GAP references. Added missing "otherwise" clauses. Removed Support columns and added an Inter-Layer Dependency column where appropriate. Deleted Tables 6 and 13 because they are no longer used. Updated references. Added a Publication Number column to the Revision History. Revised the document numbering convention, setting the last release publication of 1.0.2 as p2. Performed additional template-related formatting fixes. Replaced the Bluetooth logo in the footer and updated the copyright page to align with v2 of the DNMD.
3	р3	2023-02-07	Approved by BTI on 2022-12-28. Prepared for TCRL 2022-2 publication.
	p3ed2r00- r01	2025-07-09 – 2025-07-15	TSE 27354 (rating 1): Updated the Status for HRP 2/2 and added conditions C.2 and C.3.
	p3 edition 2	2025-08-05	Approved by BTI on 2025-08-05. Prepared for edition 2 publication.
	p4r00	2025-08-22	TSE 28078 (rating 1): Updated the ILD column for Items 5/1 and 12/1 to delete references to GAP Table 38.
4	p4	2025-11-04	Approved by BTI on 2025-10-02. Prepared for TCRL pkg101 publication.

Acknowledgments

Name	Company
Joe Decuir	CSR
Robert D. Hughes	Intel
Guillaume Schatz	Polar