

# Object Transfer Profile (OTP)

## **Bluetooth® Implementation Conformance Statement (ICS) Proforma**

---

- **Revision:** OTP.ICS.p2 edition 2
- **Revision Date:** 2025-08-05
- **Prepared By:** Sports & Fitness WG
- **Published during TCRL:** TCRL.pkg100



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at [www.bluetooth.com](http://www.bluetooth.com).

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2014–2025 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.

## Contents

<b>1</b>	<b>General principles .....</b>	<b>4</b>
1.1	Implementation Under Test (IUT) identification .....	4
1.2	Enforcement of inter-layer dependencies .....	4
<b>2</b>	<b>ICS declarations.....</b>	<b>5</b>
2.1	Versions .....	5
2.2	Roles .....	5
2.3	Transports .....	5
2.4	Object Server role .....	5
2.4.1	Services (Object Server).....	5
2.5	Object Client role .....	6
2.5.1	Service support (Object Client) .....	6
2.5.2	Discover characteristics (Object Client) .....	6
2.5.3	Property features (Object Client) .....	6
2.5.4	Procedures (Object Client).....	7
2.5.5	GATT requirements (Object Client).....	8
2.5.6	L2CAP requirements (Object Client).....	9
<b>3</b>	<b>References .....</b>	<b>10</b>
<b>4</b>	<b>Revision history and acknowledgments .....</b>	<b>11</b>

# 1 General principles

## 1.1 Implementation Under Test (IUT) identification

Using the Bluetooth SIG qualification tool, the implementer is expected to declare details about what will be implemented.

## 1.2 Enforcement of inter-layer dependencies

This ICS includes one or more tables with inter-layer dependencies (ILDs). ILDs are used for specification requirements that are dependent on other supporting specifications. ILDs can refer to an individual ICS item in a separate layer (individual ILD), or it can refer to the full layer (full-layer ILD).

ILDs residing in an X2Core layer will be enforced from the Bluetooth SIG qualification tool in the following conditions, depending on where the referred ILD is residing:

Referred ILD resides in	Individual ILD	Full-layer ILD
Controller layer	Core-Complete configuration, or Referred layer is supported	N/A
Lower HCI layer	HCI is supported	N/A
Upper HCI layer	Core-Host configuration, or UHCI is supported	N/A
Host layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	N/A
X2Core layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	Core-Host configuration, or Core-Complete configuration

Table 1.1: Enforcement of an ILD within the Bluetooth SIG qualification tool

## 2 ICS declarations

### 2.1 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	OTP v1.0	[1]	M

Table 1: No longer used

### 2.2 Roles

Table 2: Role Requirements

Item	Version	Reference	Status
1	Object Server	[1] 2.1	C.1
2	Object Client	[1] 2.1	C.1

C.1: Mandatory to support at least one.

### 2.3 Transports

Table 3: Transport Requirements

Item	Transport	Reference	Status
1	Profile supported over BR/EDR	[1] 2.5	C.1, C.3
2	Profile supported over LE	[1] 2.5	C.2, C.3

C.1: Excluded for this Profile IF CORE 41/2 “LE Core Configuration”.

C.2: Excluded for this Profile IF CORE 41/1 “BR/EDR Core Configuration”.

C.3: Mandatory to support at least one.

### 2.4 Object Server role

#### 2.4.1 Services (Object Server)

Table 4: Service Requirements (Object Server)

*Prerequisite: OTP 2/1 “Object Server”*

Item	Service Requirements	Reference	Status	Inter-Layer Dependency
1	Object Transfer Service	[1] 3	M	[4] OTS
2	Object Transfer Service UUID in AD Type field of Advertising Data	[1] 3.1.1	C.1	N/A

C.1: Optional IF OTP 3/2 “Profile supported over LE”, otherwise Excluded.

## 2.5 Object Client role

### 2.5.1 Service support (Object Client)

**Table 5: Service Support (Object Client)**

*Prerequisite: OTP 2/2 “Object Client”*

Item	Service	Reference	Status
1	Discover Object Transfer Service	[1] 4.2	M

### 2.5.2 Discover characteristics (Object Client)

**Table 6: Discover Object Transfer Characteristics (Object Client)**

*Prerequisite: OTP 2/2 “Object Client”*

Item	Characteristic / Descriptor	Reference	Status
1	Discover OTS Feature characteristic(s)	[1] 4.3	M
2	Discover Object Name characteristic	[1] 4.3	M
3	Discover Object Type characteristic	[1] 4.3	M
4	Discover Object Size characteristic	[1] 4.3	C.1
5	Discover Object First-Created characteristic	[1] 4.3	O
6	Discover Object Last-Modified characteristic	[1] 4.3	C.2
7	Discover Object ID characteristic	[1] 4.3	C.3
8	Discover Object Properties characteristic	[1] 4.3	O
9	Discover Object Action Control Point (OACP) characteristic	[1] 4.3	M
10	Discover Object Action Control Point (OACP) - Client Configuration Characteristic Descriptor	[1] 4.3	M
11	Discover Object List Control Point (OLCP) characteristic	[1] 4.3	M
12	Discover Object List Control Point (OLCP) - Client Configuration Characteristic Descriptor	[1] 4.3	M
13	Discover Object List Filter characteristic	[1] 4.3	M
14	Discover Object Changed characteristic	[1] 4.3	O

C.1: Mandatory IF OTP 8/19 “Read Object – Read Object Contents” OR OTP 8/21 “Write Object – Write Object Contents”, otherwise Optional.

C.2: Mandatory, IF OTP 8/21 “Write Object – Write Object Contents”, otherwise Optional.

C.3: Mandatory, IF OTP 8/17 “Select Object – Select by Object ID”, otherwise Optional.

### 2.5.3 Property features (Object Client)

**Table 7: Object Transfer Service Property Feature Requirements (Object Client)**

*Prerequisite: OTP 2/2 “Object Client”*

Item	Property Feature	Reference	Status
1	Read OTS Feature characteristic	[1] 4.5.1	M
2	Read Object Name characteristic	[1] 4.5.4.1	M
3	Read Long Object Name characteristic	[1] 4.5.4.1	M

Item	Property Feature	Reference	Status
4	Write Object Name characteristic	[1] 4.5.5.1	C.1
5	Write Long Object Name characteristic	[1] 4.5.5.1	O
6	Read Object Type characteristic	[1] 4.5.4.1	M
7	Read Object Size characteristic	[1] 4.5.4.2	C.2
8	Read Object First-Created characteristic	[1] 4.5.4.1	O
9	Write Object First-Created characteristic	[1] 4.5.5.1, 4.5.7	O
10	Read Object Last-Modified characteristic	[1] 4.4.3	O
11	Write Object Last-Modified characteristic	[1] 4.5.5.1	O
12	Read Object ID characteristic	[1] 4.5.7	C.3
13	Read Object Properties characteristic	[1] 4.5.4.1	O
14	Write Object Properties characteristic	[1] 4.5.5.1	O
15	Write Object Action Control Point (OACP) characteristic	[1] 4.4.1	M
16	Object Action Control Point (OACP) - Client Configuration Characteristic Descriptor	[1] 4.4.1	M
17	Write Object List Control Point (OLCP) characteristic	[1] 4.4.2	M
18	Object List Control Point (OLCP) - Client Configuration Characteristic Descriptor	[1] 4.4.2	M
19	Read Object List Filter characteristic	[1] 4.5.2.1, 4.5.2.2	M
20	Write Object List Filter characteristic	[1] 4.5.2.1, 4.5.2.2	M
21	Write Long Object List Filter characteristic	[1] 4.5.2.2	O
22	Read Long Object List Filter characteristic	[1] 4.5.2.2	O
23	Object Changed characteristic	[1] 4.4.3	O
24	Object Changed characteristic - Client Configuration Characteristic Descriptor	[1] 4.4.3	O

C.1: Mandatory IF OTP 8/25 “Create Object”, otherwise Optional.

C.2: Mandatory IF OTP 8/19 “Read Object – Read Object Contents” OR OTP 8/21 “Write Object – Write Object Contents”, otherwise Optional.

C.3: Mandatory IF OTP 8/17 “Select Object – Select by Object ID”, otherwise Optional.

## 2.5.4 Procedures (Object Client)

**Table 8: Object Transfer Service Procedure Requirements (Object Client)**

*Prerequisite: OTP 2/2 “Object Client”*

Item	Procedure	Reference	Status
1	Feature Discovery	[1] 4.5.1	M
2	Object Discovery – Discover All Objects	[1] 4.5.2.1	C.1
3	Object Discovery – Search for Specific Object	[1] 4.5.2.3	C.1
4	Object Discovery – Discover by Filter	[1] 4.5.2.2	C.1
5	Object Discovery - Discover by Filter - Name Starts With	[1] 4.5.2.2	C.2
6	Object Discovery - Discover by Filter - Name Ends With	[1] 4.5.2.2	C.2

Item	Procedure	Reference	Status
7	Object Discovery - Discover by Filter - Name Contains	[1] 4.5.2.2	C.2
8	Object Discovery - Discover by Filter - Name is Exactly	[1] 4.5.2.2	C.2
9	Object Discovery - Discover by Filter - Object Type	[1] 4.5.2.2	C.2
10	Object Discovery - Discover by Filter - Created between	[1] 4.5.2.2	C.2
11	Object Discovery - Discover by Filter - Modified between	[1] 4.5.2.2	C.2
12	Object Discovery - Discover by Filter - Current Size between	[1] 4.5.2.2	C.2
13	Object Discovery - Discover by Filter - Allocated Size between	[1] 4.5.2.2	C.2
14	Object Discovery - Discover by Filter - Marked Objects	[1] 4.5.2.2	C.2
15	Object Discovery – Discover by Directory Listing Object	[1] 4.5.2.4	O
16	Select Object – Select by Object Discovery	[1] 4.5.3.1	C.3
17	Select Object – Select by Object ID	[1] 4.5.3.2	C.3
18	Read Object – Read Object Metadata	[1] 4.5.4.1	M
19	Read Object – Read Object Contents	[1] 4.5.4.2	C.4
20	Write Object – Write Object Metadata	[1] 4.5.5.1	C.5
21	Write Object – Write Object Contents	[1] 4.5.5.2	C.4
22	Resume Reading Object Contents	[1] 4.5.6.1	O
23	Resume Writing Object Contents – Current Size Method	[1] 4.5.6.2.1	O
24	Resume Writing Object Contents – Data Integrity Method	[1] 4.5.6.2.2	O
25	Create Object	[1] 4.5.7	O
26	Delete Object	[1] 4.5.8	O
27	Calculate Checksum	[1] 4.5.9	C.6
28	Execute Object	[1] 4.5.9	O
29	Abort Object Read	[1] 4.5.4.2	C.7
30	Open Object Transfer Channel	[1] 4.5.10	M
31	Truncate Object Contents	[1] 4.5.5.2	O

C.1: Mandatory to support at least one.

C.2: Optional IF OTP 8/4 “Object Discovery – Discover by Filter”, otherwise Excluded.

C.3: Mandatory to support at least one.

C.4: Mandatory to support at least one.

C.5: Mandatory IF OTP 8/25 “Create Object”, otherwise Optional.

C.6: Mandatory IF OTP 8/22 “Resume Reading Object Contents” OR OTP 8/24 “Resume Writing Object Contents – Data Integrity Method”, otherwise Optional.

C.7: Optional IF OTP 8/19 “Read Object – Read Object Contents”, otherwise Excluded.

## 2.5.5 GATT requirements (Object Client)

**Table 9: GATT Requirements (Object Client)**

*Prerequisite: OTP 2/2 “Object Client”*

Item	Capability	Reference	Status	Inter-Layer Dependency
1	No longer used	N/A	N/A	N/A
2	GATT Client over BR/EDR	[1] 4.2	C.1	[2] GATT 1a/2





Item	Capability	Reference	Status	Inter-Layer Dependency
3	GATT Client over LE	[1] 4.2	C.2	[2] GATT 1a/1
4	Discover All Primary Services	[1] 4.2	C.3	[2] GATT 3/2
5	Discover Primary Services by Service UUID	[1] 4.2	C.3	[2] GATT 3/3
6	Find Included Services	[1] 4.2	C.3	[2] GATT 3/4
7	No longer used	N/A	N/A	N/A
8	Discover All Characteristics of a Service	[1] 4.3	C.4	[2] GATT 3/5
9	Discover Characteristics by UUID	[1] 4.3	C.4	[2] GATT 3/6
10	Discover All Characteristic Descriptors	[1] 4.3	M	[2] GATT 3/7
11	Read Characteristic Value	[1] 4.1	M	[2] GATT 3/8
12	Write Characteristic Value	[1] 4.1	M	[2] GATT 3/14
13	Read Characteristic Descriptors	[1] 4.1, 4.4.1, 4.4.2, 4.4.3	M	[2] GATT 3/19
14	Write Characteristic Descriptors	[1] 4.1, 4.4.1, 4.4.2, 4.4.3	M	[2] GATT 3/21
15	Indications	[1] 4.4.1, 4.4.2, 4.4.3	M	[2] GATT 3/18
16	Read Long Characteristic Values	[1] 4.1	C.5	[2] GATT 3/10
17	Write Long Characteristic Values	[1] 4.1	C.6	[2] GATT 3/15
18	Service Changed Characteristic	[1] 4.6	M	[2] GATT 3/23

C.1: Mandatory IF OTP 3/1 “Profile supported over BR/EDR”, otherwise not defined.

C.2: Mandatory IF OTP 3/2 “Profile supported over LE”, otherwise not defined.

C.3: Mandatory to support at least one.

C.4: Mandatory to support at least one.

C.5: Mandatory IF OTP 7/3 “Read Long Object Name characteristic” OR OTP 7/22 “Read Long Object List Filter characteristic”, otherwise Optional.

C.6: Mandatory IF OTP 7/5 “Write Long Object Name characteristic” OR OTP 7/21 “Write Long Object List Filter characteristic”, otherwise Optional.

## 2.5.6 L2CAP requirements (Object Client)

**Table 10: L2CAP Requirements (Object Client)**

*Prerequisite: OTP 2/2 “Object Client”*

Item	Capability	Reference	Status	Inter-Layer Dependency
1	LE Credit Based Flow Control Mode	[1] 2.1	C.1	[3] L2CAP 2/46

C.1: Mandatory IF OTP 3/2 “Profile supported over LE”, otherwise Optional.

## 3 References

---

- [1] Object Transfer Profile Specification, Version 1.0
- [2] ICS Proforma for Generic Attribute Profile (GATT.ICS)
- [3] ICS Proforma for Logical Link Control and Adaptation Protocol (L2CAP.ICS)
- [4] ICS Proforma for Object Transfer Service (OTS)

## 4 Revision history and acknowledgments

### Revision History

Publication Number	Revision Number	Date	Comments
0	1.0.0	2015-11-17	Specification adopted by BoD; prepared for publication.
	1.0.0 edition 2r00	2018-11-26	Editorial changes only. Template updated. Revision History and contributors moved to the end of the document.
	1.0.0 edition 2	2020-01-07	Updated copyright page and confidentiality markings to support new Documentation Marking Requirements, performed minor formatting updates, and accepted all tracked changes to prepare for edition 2 publication.
	p1r00–r02	2022-03-23 – 2022-05-02	TSE 18596 (rating 2): Removed the Core spec table and updated 3/2 and C.2 of Table 3 to remove reference to the Core spec. Corrected C.2 of Table 7. TSE 18722 (rating 1): Editorials to align the document with the latest ICS template in anticipation of a future .Z release. Editorials, including assigning publication number 0 to previous v1.0.0 and aligning the copyright page with v2 of the DNMD.
1	p1	2022-06-28	Approved by BTI on 2022-05-31. Prepared for TCRL 2022-1 publication.
	p2r00–r01	2025-01-28 – 2025-02-18	TSE 26837 (rating 2): Updated Table 2 title and conditional C.1. Updated Table 3 C.1. Added an Inter-Layer Dependency column to Table 4. Updated Table 8 C.1, C.3, and C.4. Updated Table 9 items 1–3 and 7 and conditionals C.3 and C.4. Updated a reference in Table 10. Updated References section. Updated headings and Table 0 title and Version entry to current ICS template.
2	p2	2025-07-08	Approved by BTI on 2025-06-15. Prepared for TCRL pkg100 publication.
	p2ed2r00	2025-07-08	TSE 27376 (rating 1): Updated the Status for OTP 3/1 and OTP 3/2, added conditions C.1 and C.2, and renumbered the previous C.1 as C.3.
	p2 edition 2	2025-08-05	Approved by BTI on 2025-08-05. Prepared for edition 2 publication.

### Acknowledgments

Name	Company
Robert D. Hughes	Intel Corporation
Laurence Richardson	Qualcomm Technologies, Inc.