

# Object Transfer Service (OTS)

## **Bluetooth®** Implementation Conformance Statement (ICS) Proforma

---

- **Revision:** OTS.ICS.p2
- **Revision Date:** 2026-02-17
- **Prepared By:** Sports & Fitness WG
- **Published during TCRL:** TCRL.pkg102



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at [www.bluetooth.com](http://www.bluetooth.com).

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2014–2026 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



## Contents

<b>1</b>	<b>General principles</b>	<b>4</b>
1.1	Implementation Under Test (IUT) identification	4
1.2	Enforcement of inter-layer dependencies	4
<b>2</b>	<b>ICS declarations</b>	<b>5</b>
2.1	Versions	5
2.2	Transports	5
2.3	Service requirements	5
2.4	GATT requirements	7
<b>3</b>	<b>References</b>	<b>9</b>
<b>4</b>	<b>Revision history and acknowledgments</b>	<b>10</b>



# 1 General principles

## 1.1 Implementation Under Test (IUT) identification

Using the Bluetooth SIG qualification tool, the implementer is expected to declare details about what will be implemented.

## 1.2 Enforcement of inter-layer dependencies

This ICS includes one or more tables with inter-layer dependencies (ILDs). ILDs are used for specification requirements that are dependent on other supporting specifications. ILDs can refer to an individual ICS item in a separate layer (Individual ILD), or it can refer to the full layer (full-layer ILD).

ILDs residing in an X2Core layer will be enforced from the Bluetooth SIG qualification tool in the following conditions, depending on where the referred ILD is residing:

Referred ILD resides in	Individual ILD	Full-layer ILD
Controller layer	Core-Complete configuration, or Referred layer is supported	N/A
Lower HCI layer	HCI is supported	N/A
Upper HCI layer	Core-Host configuration, or UHCI is supported	N/A
Host layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	N/A
X2Core layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	Core-Host configuration, or Core-Complete configuration

Table 1.1: Enforcement of an ILD within the Bluetooth SIG qualification tool

## 2 ICS declarations

### 2.1 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	OTS v1.0	[1]	M

Table 1: No longer used

### 2.2 Transports

Table 2: Transport Requirements

Item	Transport	Reference	Status
1	Service supported over LE	[1] 1.5, 1.6	C.1, C.3
2	Service supported over BR/EDR	[1] 1.5, 1.6	C.2, C.3

C.1: Excluded for this Service IF CORE 41/1 “BR/EDR Core Configuration” OR CORE 40/1 “Core-Controller”.

C.2: Excluded for this Service IF CORE 41/2 “LE Core Configuration” OR CORE 40/1 “Core-Controller”.

C.3: Mandatory to support at least one.

### 2.3 Service requirements

Table 3: Global Feature Requirements

Item	Feature	Reference	Status
1	Multiple Simultaneous Clients (Concurrency feature)	[1] 1.12	O
2	Storage of multiple objects	[1] 3	O
3	Support for zero objects (Note 1)	[1] 3.3.2.8	O

Note 1: “Support for zero objects” means that the IUT is capable of being placed in a state in which there is no object present on the Server. This could be either the initial state or a state that is achieved by deleting all the objects that are present.

Table 4: GATT Database Requirements

Item	Characteristic or Property	Reference	Status
1	OTS Feature Characteristic	[1] 3.1	M
2	Object Name Characteristic	[1] 3.2.2	M
3	Object Name Characteristic - Write	[1] 3.2.2	C.1
4	Object Name Characteristic – Read Long (longer than default ATT_MTU-1 octets)	[1] 1.4, 3.2.2	C.2
5	Object Name Characteristic – Write Long (longer than default ATT_MTU-3 octets)	[1] 1.4, 3.2.2	O
6	Object Type Characteristic	[1] 3.2.3	M

Item	Characteristic or Property	Reference	Status
7	Object Size Characteristic	[1] 3.2.4	M
8	Object First-Created Characteristic	[1] 3.2.5	O
9	Object First-Created Characteristic - Write	[1] 3.2.5	C.3
10	Object Last-Modified Characteristic	[1] 3.2.6	O
11	Object Last-Modified Characteristic - Write	[1] 3.2.6	C.4
11a	Access to a Real Time Clock (RTC)	[1] 3.2.6.1	O
12	Object ID Characteristic	[1] 3.2.7	C.5
13	Object Properties Characteristic	[1] 3.2.8	M
14	Object Properties Characteristic - Write	[1] 3.2.8	O
15	Object Action Control Point (OACP)	[1] 3.3	M
16	Object List Control Point (OLCP)	[1] 3.4	C.5
17	Object List Filter Characteristic	[1] 3.5	C.6
18	Object List Filter Characteristic – Read Long (longer than default ATT_MTU-1 octets)	[1] 1.4, 3.5	C.7
19	Object List Filter Characteristic – Write Long (longer than default ATT_MTU-3 octets)	[1] 1.4, 3.5	O
20	Object Changed Characteristic	[1] 3.6	O

- C.1: Mandatory IF OTS 5/1 “OACP Create Procedure”, otherwise Optional.
- C.2: Mandatory IF OTS 4/5 “Object Name Characteristic – Write Long (longer than default ATT\_MTU-3 octets)”, otherwise Optional.
- C.3: Mandatory IF OTS 4/8 “Object First-Created Characteristic” AND OTS 5/1 “OACP Create Procedure”, otherwise Optional.
- C.4: Mandatory IF OTS 4/10 “Object Last-Modified Characteristic” AND NOT OTS 4/11a “Access to a Real Time Clock (RTC)”, otherwise Excluded.
- C.5: Mandatory IF OTS 3/2 “Storage of multiple objects”, otherwise Optional.
- C.6: Optional IF OTS 3/2 “Storage of multiple objects”, otherwise Excluded.
- C.7: Mandatory IF OTS 4/19 “Object List Filter Characteristic – Write Long (longer than default ATT\_MTU-3 octets)”, otherwise Optional.

**Table 5: OACP Features**

*Prerequisite: OTS 4/15 “Object Action Control Point (OACP)”*

Item	Feature	Reference	Status
1	OACP Create Procedure	[1] 3.3.2.1	O
2	OACP Delete Procedure	[1] 3.3.2.2	O
3	OACP Calculate Checksum Procedure	[1] 3.3.2.3	O
4	OACP Execute Procedure	[1] 3.3.2.4	O
5	OACP Read Procedure	[1] 3.3.2.5	O
6	OACP Write Procedure	[1] 3.3.2.6	O
7	Appending Additional Data (increasing the object’s Allocated Size)	[1] 3.3.2.6	O
8	Truncation of Objects (decreasing the object’s Current Size)	[1] 3.3.2.6	O

Item	Feature	Reference	Status
9	Patching of Objects (over-writing a portion of the object's contents)	[1] 3.3.2.6	O
10	OACP Abort Procedure	[1] 3.3.2.7	C.1

C.1: Optional IF OTS 5/5 "OACP Read Procedure", otherwise Excluded.

**Table 6: OLCP Features**

*Prerequisite: OTS 4/16 "Object List Control Point (OLCP)"*

Item	Feature	Reference	Status
1	OLCP First Procedure	[1] 3.4.2.1	M
2	OLCP Last Procedure	[1] 3.4.2.2	M
3	OLCP Previous Procedure	[1] 3.4.2.3	M
4	OLCP Next Procedure	[1] 3.4.2.4	M
5	OLCP Go To Procedure	[1] 3.4.2.5	O
6	OLCP Order Procedure	[1] 3.4.2.6	O
7	OLCP Request Number of Objects Procedure	[1] 3.4.2.7	O
8	OLCP Clear Marking Procedure	[1] 3.4.2.8	O

**Table 7: Directory Listing Object**

*Prerequisite: OTS 3/2 "Storage of multiple objects"*

Item	Capability	Reference	Status
1	Generation of Directory Listing Object	[1] 4.1	O

## 2.4 GATT requirements

**Table 8: GATT Requirements**

Item	Capability	Reference	Status	Inter-Layer Dependency
1	No longer used	N/A	N/A	N/A
1a	GATT Server over BR/EDR	[1] 1.4	C.3	[2] GATT 1a/4
1b	GATT Server over LE	[1] 1.4	C.4	[2] GATT 1a/3
2	Read Long Characteristic Value	[1] 1.4	C.1	[2] GATT 4/10
3	Write Characteristic Value	[1] 1.4	M	[2] GATT 4/14
6	Write Long Characteristic Value	[1] 1.4	C.2	[2] GATT 4/15
4	Indication	[1] 1.4	M	[2] GATT 4/18
7	Read Characteristic Descriptor	[1] 1.4	M	[2] GATT 4/19
8	Write Characteristic Descriptor	[1] 1.4	M	[2] GATT 4/21

C.1: Mandatory IF OTS 4/4 "Object Name Characteristic – Read Long (longer than default ATT\_MTU-1 octets)" OR OTS 4/18 "Object List Filter Characteristic – Read Long (longer than default ATT\_MTU-1 octets)", otherwise not defined.



- C.2: Mandatory IF OTS 4/5 “Object Name Characteristic – Write Long (longer than default ATT\_MTU-3 octets)” OR OTS 4/19 “Object List Filter Characteristic – Write Long (longer than default ATT\_MTU-3 octets)”, otherwise not defined.
- C.3: Mandatory IF OTS 2/2 “Service supported over BR/EDR”, otherwise not defined.
- C.4: Mandatory IF OTS 2/1 “Service supported over LE”, otherwise not defined.

## 3 References

---

- [1] Object Transfer Service, Version 1.0
- [2] ICS Proforma for Generic Attribute Profile (GATT)

## 4 Revision history and acknowledgments

### Revision History

Publication Number	Revision Number	Date	Comments
0	1.0.0	2015-11-17	Spec adopted by BoD. Prepared for publication.
	1.0.0 edition 2r00	2018-11-26	Editorial changes only. Template updated. Revision History and contributors moved to the end of the document.
	1.0.0 edition 2	2020-01-08	Updated copyright page and confidentiality markings to support new Documentation Marking Requirements, performed minor formatting updates, and accepted all tracked changes to prepare for edition 2 publication.
	p1r00–r02	2022-03-23 – 2022-05-02	TSE 18598 (rating 3): Deleted Core versions table. Added 4/11a, with a corresponding update to C.4. TSE 18723 (rating 1): Editorials to align the document with the latest ICS template in anticipation of a future .Z release. Assigned publication number 0 to previous v1.0.0 and aligned copyright page with v2 of the DNMD. Consistency checker update.
1	p1	2022-06-28	Approved by BTI on 2022-05-31. Prepared for TCRL 2022-1 publication.
	p1ed2 r00–r03	2025-01-29 – 2025-02-27	TSE 27093 (rating 1): Updated Table 1 heading and Version entry. Updated Table 2 status values and conditional C.1 and added C.2 and C.3. Added items 1a and 1b and conditionals C.3 and C.4 to Table 8. Updated References section and cross-references throughout. Updated to current ICS template.
	p1 edition 2	2025-03-14	Approved by BTI on 2025-03-11. Prepared for edition 2 publication.
	p2r00–r01	2025-12-04 – 2026-01-09	TSE 28169 (rating 1): Updated the conditions in the transport table to make sure the layer is excluded when the design is an implementation of the Core-Controller Configuration by adding "OR CORE 40/1 "Core-Controller"" to an already excluded transport based on Core Configuration support.
2	p2	2026-02-17	Approved by BTI on 2026-01-21. Prepared for TCRL pkg102 publication.

### Acknowledgments

Name	Company
Laurence Richardson	Cambridge Silicon Radio
Robert Hughes	Intel Corporation
Guillaume Schatz	Polar Electro Oy