Physical Activity Monitor Service (PAMS)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

Revision: PAMS.ICS.p1 edition 2

• Revision Date: 2025-08-05

Prepared By: Sports and Fitness Working Group

Published during TCRL: TCRL.2024-1



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement ("PCLA") and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. ("Bluetooth SIG") and its members, including the PCLA and other agreements posted on Bluetooth SIG's website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED "AS IS" AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2019–2025 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

| 1 | General principles | | | | |
|---|--------------------|-----------------------------------------------------------------------------------------|----|--|--|
| | | Implementation Under Test (IUT) identification Enforcement of inter-layer dependencies | | | |
| 2 | | declarations | | | |
| | 2.1 | Versions | ţ | | |
| | 2.2 | Transports | ! | | |
| | | Service feature requirements | | | |
| | | Service requirements | | | |
| | | GATT requirements | | | |
| | | SDP requirements | | | |
| 3 | Refe | rences | 10 | | |
| 4 | Revis | sion history and acknowledgments | 1′ | | |



1 General principles

1.1 Implementation Under Test (IUT) identification

Using the Bluetooth SIG qualification tool, the implementer is expected to declare details about what will be implemented.

1.2 Enforcement of inter-layer dependencies

This ICS includes one or more tables with inter-layer dependencies (ILDs). ILDs are used for specification requirements that are dependent on other supporting specifications. ILDs can refer to an individual ICS item in a separate layer (individual ILD), or it can refer to the full layer (full-layer ILD).

ILDs residing in an X2Core layer will be enforced from the Bluetooth SIG qualification tool in the following conditions, depending on where the referred ILD is residing:

| Referred ILD resides in | Individual ILD | Full-layer ILD |
|-------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------|
| Controller layer | Core-Complete configuration, or Referred layer is supported | N/A |
| Lower HCI layer | HCI is supported | N/A |
| Upper HCI layer | Core-Host configuration, or UHCI is supported | N/A |
| Host layer | Core-Host configuration, or Core-Complete configuration, or Referred layer is supported | N/A |
| X2Core layer | Core-Host configuration, or Core-Complete configuration, or Referred layer is supported | Core-Host configuration, or Core-Complete configuration |

Table 1.1: Enforcement of an ILD within the Bluetooth SIG qualification tool



Bluetooth SIG Proprietary Page **4 of 11**

2 ICS declarations

2.1 Versions

Table 0: X.Y Versions

| Item | Version | Reference | Status |
|------|-----------|-----------|--------|
| 1 | PAMS v1.0 | [1] 2.1 | М |

2.2 Transports

Table 1: Transport Requirements

| Item | Transport | Reference | Status |
|------|-------------------------------|-----------|----------|
| 1 | Service supported over BR/EDR | [1] 1.6 | C.1, C.3 |
| 2 | Service supported over LE | [1] 1.6 | C.2, C.3 |

- C.1: Excluded for this Service IF CORE 41/2 "LE Core Configuration".
- C.2: Excluded for this Service IF CORE 41/1 "BR/EDR Core Configuration".
- C.3: Mandatory to support at least one.

2.3 Service feature requirements

Table 2: Feature Requirements

| Item | Feature | Reference | Status |
|------|--------------------------------------------|-------------------------------|--------|
| 1 | Multiple Users | [1] 3.1.1.1 | C.1 |
| 2 | User Data Service | [1] 3.1.1.1 | C.1 |
| 3 | Device Worn | [1] 3.1.1.1 | C.1 |
| 4 | Normal Walking Energy Expenditure | [1] 3.1.1.1 [1] 3.3.1.1.7 | C.1 |
| 5 | Normal Walking Energy Expenditure per Hour | [1] 3.1.1.1 [1] 3.2.1.1.7 | C.1 |
| 6 | Intensity Energy Expenditure | [1] 3.1.1.1 [1] 3.3.1.1.8 | C.1 |
| 7 | Intensity Energy Expenditure per Hour | [1] 3.1.1.1 [1] 3.2.1.1.8 | C.1 |
| 8 | Total Energy Expenditure | [1] 3.1.1.1 [1] 3.3.1.1.9 | C.1 |
| 9 | Total Energy Expenditure per Hour | [1] 3.1.1.1 [1] 3.2.1.1.9 | C.1 |
| 10 | Fat Burned | [1] 3.1.1.1 [1] 3.3.1.1.10 | C.1 |
| 11 | Fat Burned per Hour | [1] 3.1.1.1 [1] 3.2.1.1.10 | C.1 |
| 12 | Metabolic Equivalent | [1] 3.1.1.1 [1] 3.2.1.1.11 | C.1 |

*

Bluetooth SIG Proprietary Page **5 of 11**

| | | Reference | Status |
|----|----------------------------------------|-------------------------------|--------|
| 13 | Distance | [1] 3.1.1.1 | C.1 |
| | | [1] 3.3.1.1.14 | |
| 14 | Speed | [1] 3.1.1.1 [1] 3.2.1.1.12 | C.1 |
| 15 | Duration of Normal Walking Episodes | [1] 3.1.1.1 | C.1 |
| | Duration of Normal walking Episodes | [1] 3.3.1.1.18 | 0.1 |
| 16 | Duration of Intensity Walking Episodes | [1] 3.1.1.1 | C.1 |
| | | [1] 3.3.1.1.19 | |
| 17 | Motion Cadence | [1] 3.1.1.1 | C.1 |
| 40 | Flacing. | [1] 3.2.1.1.13 | 0.4 |
| 18 | Floors | [1] 3.1.1.1 [1] 3.3.1.1.23 | C.1 |
| 19 | Positive Elevation Gain | [1] 3.1.1.1 | C.1 |
| | | [1] 3.3.1.1.24 | |
| 20 | Negative Elevation Gain | [1] 3.1.1.1 | C.1 |
| | | [1] 3.3.1.1.25 | |
| 21 | Elevation | [1] 3.1.1.1 | C.1 |
| 00 | Authority Occupa | [1] 3.2.1.1.14 | 0.4 |
| 22 | Activity Count | [1] 3.1.1.1 [1] 3.3.1.1.26 | C.1 |
| 23 | Activity Count per Minute | [1] 3.1.1.1 | C.1 |
| | . 1511.11, 551.11.11.11.11 | [1] 3.2.1.1.15 | |
| 24 | Activity Level | [1] 3.1.1.1 | C.1 |
| | | [1] 3.2.1.1.16 | |
| 25 | Activity Type | [1] 3.1.1.1 | C.1 |
| 26 | Worn Duration | [1] 3.2.1.1.17 | C.1 |
| 26 | worn Duration | [1] 3.1.1.1 [1] 3.3.1.1.31 | C. I |
| 27 | Time in Heart Rate Zone1 | [1] 3.1.1.1 | C.1 |
| | | [1] 3.5.1.1.7 | |
| 28 | Time in Heart Rate Zone2 | [1] 3.1.1.1 | C.1 |
| | | [1] 3.5.1.1.8 | |
| 29 | Time in Heart Rate Zone3 | [1] 3.1.1.1 [1] 3.5.1.1.9 | C.1 |
| 30 | Time in Heart Rate Zone4 | [1] 3.5.1.1.9 | C.1 |
| | Timo in Float Nato Zonet | [1] 3.1.1.1 | J. 1 |
| 31 | Time in Heart Rate Zone5 | [1] 3.1.1.1 | C.1 |
| | | [1] 3.5.1.1.11 | |
| 32 | VO2 Max | [1] 3.1.1.1 | C.1 |
| 20 | Hoard Data | [1] 3.4.1.1.7 | 0.4 |
| 33 | Heart Rate | [1] 3.1.1.1 [1] 3.4.1.1.8 | C.1 |
| 34 | Pulse Inter-beat Interval | [1] 3.1.1.1 | C.1 |
| | | [1] 3.4.1.1.9 | - |



| Item | Feature | Reference | Status |
|------|-------------------------------|-------------------------------|--------|
| 35 | Resting Heart Rate | [1] 3.1.1.1 [1] 3.4.1.1.10 | C.1 |
| 36 | Heart Rate Variability | [1] 3.1.1.1 [1] 3.4.1.1.11 | C.1 |
| 37 | Respiration Rate | [1] 3.1.1.1 [1] 3.4.1.1.12 | C.1 |
| 38 | Resting Respiration Rate | [1] 3.1.1.1 [1] 3.4.1.1.13 | C.1 |
| 39 | Normal Walking Steps | [1] 3.1.1.1 [1] 3.6.1.1.7 | C.1 |
| 40 | Intensity Steps | [1] 3.1.1.1 [1] 3.6.1.1.8 | C.1 |
| 41 | Floor Steps | [1] 3.1.1.1 [1] 3.6.1.1.9 | C.1 |
| 42 | Total Sleep Time | [1] 3.1.1.1 [1] 3.8.1.1.7 | C.1 |
| 43 | Total Wake Time | [1] 3.1.1.1 [1] 3.8.1.1.8 | C.1 |
| 44 | Total Bed Time | [1] 3.1.1.1 [1] 3.8.1.1.9 | C.1 |
| 45 | Number of Awakenings | [1] 3.1.1.1 [1] 3.8.1.1.10 | C.1 |
| 46 | Sleep Latency | [1] 3.1.1.1 [1] 3.8.1.1.11 | C.1 |
| 47 | Sleep Efficiency | [1] 3.1.1.1 [1] 3.8.1.1.12 | C.1 |
| 48 | Snooze Time | [1] 3.1.1.1 [1] 3.8.1.1.13 | C.1 |
| 49 | Number of Toss-&-turn Events | [1] 3.1.1.1 [1] 3.8.1.1.14 | C.1 |
| 50 | Time of Awakening After Alarm | [1] 3.1.1.1 [1] 3.8.1.1.15 | C.1 |
| 51 | Visible Light Level | [1] 3.1.1.1 [1] 3.7.1.1.7 | C.1 |
| 52 | UV Light Level | [1] 3.1.1.1 [1] 3.7.1.1.8 | C.1 |
| 53 | IR Light Level | [1] 3.1.1.1 [1] 3.7.1.1.9 | C.1 |
| 54 | Sleep Stage | [1] 3.1.1.1 [1] 3.7.1.1.10 | C.1 |
| 55 | Sleeping Heart Rate | [1] 3.1.1.1 [1] 3.7.1.1.11 | C.1 |

C.1: Mandatory to support at least one.



Bluetooth SIG Proprietary Page **7 of 11**

2.4 Service requirements

Table 3: Service Requirements

| Item | Feature | Reference | Status |
|------|--------------------------------------------------------------|-----------|--------|
| 1 | Physical Activity Monitor Service | [1] 2.1 | М |
| 2 | Physical Activity Monitor Features Characteristic | [1] 3.1 | М |
| 3 | General Activity Instantaneous Data Characteristic | [1] 3.2 | М |
| 4 | General Activity Summary Data Characteristic | [1] 3.3 | М |
| 5 | CardioRespiratory Activity Instantaneous Data Characteristic | [1] 3.4 | 0 |
| 6 | CardioRespiratory Activity Summary Data Characteristic | [1] 3.5 | 0 |
| 7 | Step Counter Activity Summary Data Characteristic | [1] 3.6 | 0 |
| 8 | Sleep Activity Instantaneous Data Characteristic | [1] 3.7 | 0 |
| 9 | Sleep Activity Summary Data Characteristic | [1] 3.8 | 0 |
| 10 | Physical Activity Monitor Control Point Characteristic | [1] 3.9 | М |
| 11 | Physical Activity Current Session Characteristic | [1] 3.10 | М |
| 12 | Physical Activity Session Descriptor Characteristic | [1] 3.11 | M |

Table 4: Control Point Procedure Requirements

Prerequisite: PAMS 3/10 "Physical Activity Monitor Control Point Characteristic"

| Item | Feature | Reference | Status |
|------|-------------------------------------|------------------------------|--------|
| 1 | Enquire Sessions Procedure | [1] 3.9.1.1.1 [1] 3.9.3.3 | М |
| 2 | Enquire Sub-sessions Procedure | [1] 3.9.1.1.2 [1] 3.9.3.4 | М |
| 3 | Get Ended Session Data Procedure | [1] 3.9.1.1.3 [1] 3.9.3.5 | М |
| 4 | Start Session/Sub-session Procedure | [1] 3.9.1.1.4 | М |
| 5 | Stop Session Procedure | [1] 3.9.1.1.5 | М |
| 6 | Delete Ended Session Procedure | [1] 3.9.1.1.6 | М |
| 7 | Set Average Activity Type Procedure | [1] 3.9.1.1.7 | C.1 |

C.1: Mandatory IF PAMS 2/25 "Activity Type", otherwise Excluded.

2.5 GATT requirements

Table 5: GATT Requirements

| Item | Feature | Reference | Status | Inter-Layer Dependency |
|------|---------------------------------|-----------|--------|---------------------------|
| 1 | No longer used | N/A | N/A | N/A |
| 1a | GATT Server over BR/EDR | [1] 1.5 | C.1 | [2] GATT 1a/4 |
| 1b | GATT Server over LE | [1] 1.5 | C.2 | [2] GATT 1a/3 |
| 2 | Read Long Characteristic Values | [1] 1.5 | М | [2] GATT 4/10 |
| 3 | Write Characteristic Value | [1] 1.5 | М | [2] GATT 4/14 |



Bluetooth SIG Proprietary Page **8 of 11**

| Item | Feature | Reference | Status | Inter-Layer Dependency |
|------|----------------------------------|-----------|--------|---------------------------|
| 4 | Single Notification | [1] 1.5 | М | [2] GATT 4/17 |
| 5 | Indications | [1] 1.5 | М | [2] GATT 4/18 |
| 6 | Read Characteristic Descriptors | [1] 1.5 | М | [2] GATT 4/19 |
| 7 | Write Characteristic Descriptors | [1] 1.5 | М | [2] GATT 4/21 |

- C.1: Mandatory IF PAMS 1/1 "Service supported over BR/EDR", otherwise not defined.
- C.2: Mandatory IF PAMS 1/2 "Service supported over LE", otherwise not defined.

2.6 SDP requirements

Table 6: SDP Requirements

Prerequisite: PAMS 1/1 "Service supported over BR/EDR"

| Item | Feature | Reference | Status |
|------|-----------------------------|-----------|--------|
| 1 | SDP record present for PAMS | [1] 4 | М |
| 2–4 | No longer used | N/A | N/A |



3 References

- [1] Physical Activity Monitor Service (PAMS) Specification, Version 1.0
- [2] ICS Proforma for Generic Attribute Profile (GATT)



Bluetooth SIG Proprietary Page 10 of 11

4 Revision history and acknowledgments

Revision History

| Publication Number | Revision Number | Date | Comments |
|-----------------------|--------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0 | р0 | 2020-12-22 | Approved by BTI on 2020-12-07. PAMS v1.0 adopted by BoD on 2020-12-15. Prepared for publication. |
| | p1r00 | 2023-10-06 | TSE 23674 (rating 2): Resolved GATT and SDP inter-layer dependencies. Made editorial edits to align the document with the latest ICS template, including updates to the IUT identification section, updates to table titles and spacing, and removal of "is supported" language in conditionals. Updated C.1 for Tables 1 and 2. Deleted section number and heading for 1.5.1, Physical Activity Monitor Service (but retained section content). In Table 5 (GATT Requirements), marked Item 1 as no longer used, added Items 1a and 1b, updated the Feature value in Items 4 and 5, and added C.1 and C.2. In Table 6 (SDP Requirements), deleted the ILD column, updated the Feature value for Item 1, and marked Items 2–4 as no longer used. Updated the references. Updated the copyright page to align with v2 of the DNMD. Deleted draft revision history comments prior to p0. |
| | p1r01 | 2023-12-06 | Consistency checker editorial. |
| 1 | p1 | 2024-07-01 | Approved by BTI on 2024-04-21. Prepared for TCRL 2024-1 publication. |
| | p1ed2r00 | 2025-07-10 | TSE 27334 (rating 1): Updated the Status for PAMS 1/1 and PAMS 1/2, added conditions C.1 and C.2, and renumbered the previous C.1 as C.3. Updated the Feature for PAMS 5/4. |
| | p1 edition 2 | 2025-08-05 | Approved by BTI on 2025-08-05. Prepared for edition 2 publication. |

Acknowledgments

| Name | Company |
|------------------|--------------------------|
| Bogdan Alexandru | Bluetooth SIG, Inc. |
| Charlie Lenahan | Bluetooth SIG, Inc. |
| Jawid Mirani | Bluetooth SIG, Inc. |
| Florin Toma | Bluetooth SIG, Inc. |
| Javier Espina | Koninklijke Philips N.V. |

*

Bluetooth SIG Proprietary Page 11 of 11