

Physical Activity Monitor Service (PAMS)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- **Revision:** PAMS.ICS.p2
- **Revision Date:** 2026-02-17
- **Prepared By:** Sports and Fitness Working Group
- **Published during TCRL:** TCRL.pkg102



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2016–2026 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

1	General principles	4
1.1	Implementation Under Test (IUT) identification	4
1.2	Enforcement of inter-layer dependencies	4
2	ICS declarations	5
2.1	Versions	5
2.2	Transports.....	5
2.3	Service feature requirements.....	5
2.4	Service requirements	7
2.5	GATT requirements	8
2.6	SDP requirements.....	9
3	References	10
4	Revision history and acknowledgments	11



1 General principles

1.1 Implementation Under Test (IUT) identification

Using the Bluetooth SIG qualification tool, the implementer is expected to declare details about what will be implemented.

1.2 Enforcement of inter-layer dependencies

This ICS includes one or more tables with inter-layer dependencies (ILDs). ILDs are used for specification requirements that are dependent on other supporting specifications. ILDs can refer to an individual ICS item in a separate layer (individual ILD), or it can refer to the full layer (full-layer ILD).

ILDs residing in an X2Core layer will be enforced from the Bluetooth SIG qualification tool in the following conditions, depending on where the referred ILD is residing:

Referred ILD resides in	Individual ILD	Full-layer ILD
Controller layer	Core-Complete configuration, or Referred layer is supported	N/A
Lower HCI layer	HCI is supported	N/A
Upper HCI layer	Core-Host configuration, or UHCI is supported	N/A
Host layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	N/A
X2Core layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	Core-Host configuration, or Core-Complete configuration

Table 1.1: Enforcement of an ILD within the Bluetooth SIG qualification tool

2 ICS declarations

2.1 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	PAMS v1.0	[1] 2.1	M

2.2 Transports

Table 1: Transport Requirements

Item	Transport	Reference	Status
1	Service supported over BR/EDR	[1] 1.6	C.1, C.3
2	Service supported over LE	[1] 1.6	C.2, C.3

C.1: Excluded for this Service IF CORE 41/2 “LE Core Configuration” OR CORE 40/1 “Core-Controller”.

C.2: Excluded for this Service IF CORE 41/1 “BR/EDR Core Configuration” OR CORE 40/1 “Core-Controller”.

C.3: Mandatory to support at least one.

2.3 Service feature requirements

Table 2: Feature Requirements

Item	Feature	Reference	Status
1	Multiple Users	[1] 3.1.1.1	C.1
2	User Data Service	[1] 3.1.1.1	C.1
3	Device Worn	[1] 3.1.1.1	C.1
4	Normal Walking Energy Expenditure	[1] 3.1.1.1, 3.3.1.1.7	C.1
5	Normal Walking Energy Expenditure per Hour	[1] 3.1.1.1, 3.2.1.1.7	C.1
6	Intensity Energy Expenditure	[1] 3.1.1.1, 3.3.1.1.8	C.1
7	Intensity Energy Expenditure per Hour	[1] 3.1.1.1, 3.2.1.1.8	C.1
8	Total Energy Expenditure	[1] 3.1.1.1, 3.3.1.1.9	C.1
9	Total Energy Expenditure per Hour	[1] 3.1.1.1, 3.2.1.1.9	C.1
10	Fat Burned	[1] 3.1.1.1, 3.3.1.1.10	C.1
11	Fat Burned per Hour	[1] 3.1.1.1, 3.2.1.1.10	C.1
12	Metabolic Equivalent	[1] 3.1.1.1, 3.2.1.1.11	C.1

Item	Feature	Reference	Status
13	Distance	[1] 3.1.1.1, 3.3.1.1.14	C.1
14	Speed	[1] 3.1.1.1, 3.3.1.1.12	C.1
15	Duration of Normal Walking Episodes	[1] 3.1.1.1, 3.3.1.1.18	C.1
16	Duration of Intensity Walking Episodes	[1] 3.1.1.1, 3.3.1.1.19	C.1
17	Motion Cadence	[1] 3.1.1.1, 3.2.1.1.13	C.1
18	Floors	[1] 3.1.1.1, 3.3.1.1.23	C.1
19	Positive Elevation Gain	[1] 3.1.1.1, 3.3.1.1.24	C.1
20	Negative Elevation Gain	[1] 3.1.1.1, 3.3.1.1.25	C.1
21	Elevation	[1] 3.1.1.1, 3.2.1.1.14	C.1
22	Activity Count	[1] 3.1.1.1, 3.3.1.1.26	C.1
23	Activity Count per Minute	[1] 3.1.1.1, 3.2.1.1.15	C.1
24	Activity Level	[1] 3.1.1.1, 3.2.1.1.16	C.1
25	Activity Type	[1] 3.1.1.1, 3.2.1.1.17	C.1
26	Worn Duration	[1] 3.1.1.1, 3.3.1.1.31	C.1
27	Time in Heart Rate Zone1	[1] 3.1.1.1, 3.5.1.1.7	C.1
28	Time in Heart Rate Zone2	[1] 3.1.1.1, 3.5.1.1.8	C.1
29	Time in Heart Rate Zone3	[1] 3.1.1.1, 3.5.1.1.9	C.1
30	Time in Heart Rate Zone4	[1] 3.1.1.1, 3.5.1.1.10	C.1
31	Time in Heart Rate Zone5	[1] 3.1.1.1, 3.5.1.1.11	C.1
32	VO2 Max	[1] 3.1.1.1, 3.4.1.1.7	C.1
33	Heart Rate	[1] 3.1.1.1, 3.4.1.1.8	C.1
34	Pulse Inter-beat Interval	[1] 3.1.1.1, 3.4.1.1.9	C.1
35	Resting Heart Rate	[1] 3.1.1.1, 3.4.1.1.10	C.1

Item	Feature	Reference	Status
36	Heart Rate Variability	[1] 3.1.1.1, 3.4.1.1.11	C.1
37	Respiration Rate	[1] 3.1.1.1, 3.4.1.1.12	C.1
38	Resting Respiration Rate	[1] 3.1.1.1, 3.4.1.1.13	C.1
39	Normal Walking Steps	[1] 3.1.1.1, 3.6.1.1.7	C.1
40	Intensity Steps	[1] 3.1.1.1, 3.6.1.1.8	C.1
41	Floor Steps	[1] 3.1.1.1, 3.6.1.1.9	C.1
42	Total Sleep Time	[1] 3.1.1.1, 3.8.1.1.7	C.1
43	Total Wake Time	[1] 3.1.1.1, 3.8.1.1.8	C.1
44	Total Bed Time	[1] 3.1.1.1, 3.8.1.1.9	C.1
45	Number of Awakenings	[1] 3.1.1.1, 3.8.1.1.10	C.1
46	Sleep Latency	[1] 3.1.1.1, 3.8.1.1.11	C.1
47	Sleep Efficiency	[1] 3.1.1.1, 3.8.1.1.12	C.1
48	Snooze Time	[1] 3.1.1.1, 3.8.1.1.13	C.1
49	Number of Toss-&-turn Events	[1] 3.1.1.1, 3.8.1.1.14	C.1
50	Time of Awakening After Alarm	[1] 3.1.1.1, 3.8.1.1.15	C.1
51	Visible Light Level	[1] 3.1.1.1, 3.7.1.1.7	C.1
52	UV Light Level	[1] 3.1.1.1, 3.7.1.1.8	C.1
53	IR Light Level	[1] 3.1.1.1, 3.7.1.1.9	C.1
54	Sleep Stage	[1] 3.1.1.1, 3.7.1.1.10	C.1
55	Sleeping Heart Rate	[1] 3.1.1.1, 3.7.1.1.11	C.1

C.1: Mandatory to support at least one.

2.4 Service requirements

Table 3: Service Requirements

Item	Feature	Reference	Status
1	Physical Activity Monitor Service	[1] 2.1	M



Item	Feature	Reference	Status
2	Physical Activity Monitor Features Characteristic	[1] 3.1	M
3	General Activity Instantaneous Data Characteristic	[1] 3.2	M
4	General Activity Summary Data Characteristic	[1] 3.3	M
5	CardioRespiratory Activity Instantaneous Data Characteristic	[1] 3.4	O
6	CardioRespiratory Activity Summary Data Characteristic	[1] 3.5	O
7	Step Counter Activity Summary Data Characteristic	[1] 3.6	O
8	Sleep Activity Instantaneous Data Characteristic	[1] 3.7	O
9	Sleep Activity Summary Data Characteristic	[1] 3.8	O
10	Physical Activity Monitor Control Point Characteristic	[1] 3.9	M
11	Physical Activity Current Session Characteristic	[1] 3.10	M
12	Physical Activity Session Descriptor Characteristic	[1] 3.11	M

Table 4: Control Point Procedure Requirements

Prerequisite: PAMS 3/10 “Physical Activity Monitor Control Point Characteristic”

Item	Feature	Reference	Status
1	Enquire Sessions Procedure	[1] 3.9.1.1.1, 3.9.3.3	M
2	Enquire Sub-sessions Procedure	[1] 3.9.1.1.2, 3.9.3.4	M
3	Get Ended Session Data Procedure	[1] 3.9.1.1.3, 3.9.3.5	M
4	Start Session/Sub-session Procedure	[1] 3.9.1.1.4	M
5	Stop Session Procedure	[1] 3.9.1.1.5	M
6	Delete Ended Session Procedure	[1] 3.9.1.1.6	M
7	Set Average Activity Type Procedure	[1] 3.9.1.1.7	C.1

C.1: Mandatory IF PAMS 2/25 “Activity Type”, otherwise Excluded.

2.5 GATT requirements

Table 5: GATT Requirements

Item	Feature	Reference	Status	Inter-Layer Dependency
1	No longer used	N/A	N/A	N/A
1a	GATT Server over BR/EDR	[1] 1.5	C.1	[2] GATT 1a/4
1b	GATT Server over LE	[1] 1.5	C.2	[2] GATT 1a/3
2	Read Long Characteristic Value	[1] 1.5	M	[2] GATT 4/10
3	Write Characteristic Value	[1] 1.5	M	[2] GATT 4/14
4	Single Notification	[1] 1.5	M	[2] GATT 4/17
5	Indication	[1] 1.5	M	[2] GATT 4/18
6	Read Characteristic Descriptor	[1] 1.5	M	[2] GATT 4/19
7	Write Characteristic Descriptor	[1] 1.5	M	[2] GATT 4/21



- C.1: Mandatory IF PAMS 1/1 “Service supported over BR/EDR”, otherwise not defined.
C.2: Mandatory IF PAMS 1/2 “Service supported over LE”, otherwise not defined.

2.6 SDP requirements

Table 6: SDP Requirements

Prerequisite: PAMS 1/1 “Service supported over BR/EDR”

Item	Feature	Reference	Status
1	SDP record present for PAMS	[1] 4	M
2-4	No longer used	N/A	N/A

3 References

- [1] Physical Activity Monitor Service (PAMS) Specification, Version 1.0
- [2] ICS Proforma for Generic Attribute Profile (GATT)

4 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
0	p0	2020-12-22	Approved by BTI on 2020-12-07. PAMS v1.0 adopted by BoD on 2020-12-15. Prepared for publication.
	p1r00	2023-10-06	TSE 23674 (rating 2): Resolved GATT and SDP inter-layer dependencies. Made editorial edits to align the document with the latest ICS template, including updates to the IUT identification section, updates to table titles and spacing, and removal of “is supported” language in conditionals. Updated C.1 for Tables 1 and 2. Deleted section number and heading for 1.5.1, Physical Activity Monitor Service (but retained section content). In Table 5 (GATT Requirements), marked Item 1 as no longer used, added Items 1a and 1b, updated the Feature value in Items 4 and 5, and added C.1 and C.2. In Table 6 (SDP Requirements), deleted the ILD column, updated the Feature value for Item 1, and marked Items 2–4 as no longer used. Updated the references.
	p1r01	2023-12-06	Consistency checker editorial.
1	p1	2024-07-01	Approved by BTI on 2024-04-21. Prepared for TCRL 2024-1 publication.
	p1ed2r00	2025-07-10	TSE 27334 (rating 1): Updated the Status for PAMS 1/1 and PAMS 1/2, added conditions C.1 and C.2, and renumbered the previous C.1 as C.3. Updated the Feature for PAMS 5/4.
	p1 edition 2	2025-08-05	Approved by BTI on 2025-08-05. Prepared for edition 2 publication.
	p2r00–r01	2025-12-07 – 2026-01-09	TSE 28169 (rating 1): Updated the conditions in the transport table to make sure the layer is excluded when the design is an implementation of the Core-Controller Configuration by adding “OR CORE 40/1 “Core-Controller”” to an already excluded transport based on Core Configuration support.
2	p2	2026-02-17	Approved by BTI on 2026-01-21. Prepared for TCRL pkg102 publication.

Acknowledgments

Name	Company
Bogdan Alexandru	Bluetooth SIG, Inc.
Charlie Lenahan	Bluetooth SIG, Inc.
Jawid Mirani	Bluetooth SIG, Inc.
Florin Toma	Bluetooth SIG, Inc.
Javier Espina	Koninklijke Philips N.V.

