

Scan Parameters Profile (SCPP)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- **Revision:** SCPP.ICS.p3
- **Revision Date:** 2025-11-04
- **Prepared By:** BTI
- **Published during TCRL:** TCRL.pkg101



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement ("PCLA") and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. ("Bluetooth SIG") and its members, including the PCLA and other agreements posted on Bluetooth SIG's website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED "AS IS" AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2011–2025 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

1	General principles	4
1.1	Implementation Under Test (IUT) identification	4
1.2	Enforcement of inter-layer dependencies	4
2	ICS declarations	5
2.1	Versions	5
2.2	Roles	5
2.3	Transports	5
2.4	Scan Server role	5
2.4.1	Services (Scan Server)	5
2.4.2	GAP requirements (Scan Server)	5
2.5	Scan Client role	6
2.5.1	Discover Services and Characteristics (Scan Client)	6
2.5.2	Features (Scan Client)	6
2.5.3	GATT requirements (Scan Client)	6
2.5.4	GAP requirements (Scan Client)	7
3	References	8
4	Revision history and acknowledgments	9



1 General principles

1.1 Implementation Under Test (IUT) identification

Using the Bluetooth SIG qualification tool, the implementer is expected to declare details about what will be implemented.

1.2 Enforcement of inter-layer dependencies

This ICS includes one or more tables with inter-layer dependencies (ILDs). ILDs are used for specification requirements that are dependent on other supporting specifications. ILDs can refer to an individual ICS item in a separate layer (individual ILD), or it can refer to the full layer (full-layer ILD).

ILDs residing in an X2Core layer will be enforced from the Bluetooth SIG qualification tool in the following conditions, depending on where the referred ILD is residing:

Referred ILD resides in	Individual ILD	Full-layer ILD
Controller layer	Core-Complete configuration, or Referred layer is supported	N/A
Lower HCI layer	HCI is supported	N/A
Upper HCI layer	Core-Host configuration, or UHCI is supported	N/A
Host layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	N/A
X2Core layer	Core-Host configuration, or Core-Complete configuration, or Referred layer is supported	Core-Host configuration, or Core-Complete configuration

Table 1.1: Enforcement of an ILD within the Bluetooth SIG qualification tool



2 ICS declarations

2.1 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	SCPP v1.0	[1]	M

2.2 Roles

Table 1: Role Requirements

Item	Role	Reference	Status
1	Scan Server	[1] 2.1	C.1
2	Scan Client	[1] 2.1	C.1

C.1: Mandatory to support at least one.

2.3 Transports

Table 2: Transport Requirements

Item	Transport	Reference	Status
1	Profile supported over BR/EDR	[1] 1	C.1
2	Profile supported over LE	[1] 1	C.2, C.3

C.1: Excluded for this Profile.

C.2: Excluded for this Profile IF CORE 41/1 “BR/EDR Core Configuration”.

C.3: Mandatory for this Profile.

2.4 Scan Server role

2.4.1 Services (Scan Server)

Table 3: Services (Scan Server)

Prerequisite: SCPP 1/1 “Scan Server”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Scan Parameters Service	[1] 3.1	M	[2] SCPS 2/1

2.4.2 GAP requirements (Scan Server)

Table 4: GAP Requirements (Scan Server)

Prerequisite: SCPP 1/1 “Scan Server”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Peripheral	[1] 2.3	M	[4] GAP 5/3
2–6	No longer used	N/A	N/A	N/A



Table 5: No longer used

2.5 Scan Client role

Table 6: No longer used

2.5.1 Discover Services and Characteristics (Scan Client)

Table 7: Discover Services and Characteristics (Scan Client)

Prerequisite: SCPP 1/2 “Scan Client”

Item	Capability	Reference	Status
1	Discover Scan Parameters Service	[1] 4.2.1	M
2	Discover Scan Parameters characteristic: Scan interval Window	[1] 4.3.1.1	M
3	Discover Scan Parameters characteristic: Scan Refresh	[1] 4.3.1.2	M
4	Discover Scan Parameters characteristic: Scan Refresh – Client Characteristic Configuration Descriptor	[1] 4.3.1.2	M

2.5.2 Features (Scan Client)

Table 8: Features (Scan Client)

Prerequisite: SCPP 1/2 “Scan Client”

Item	Capability	Reference	Status
1	Write Scan Interval Window characteristic	[1] 4.4	M
2	Configure Scan Refresh characteristic: Client Characteristic Configuration characteristic descriptor with 0x0001	[1] 4.5	O
3	Notify Scan Refresh characteristic	[1] 4.5	M

2.5.3 GATT requirements (Scan Client)

Table 9: GATT Requirements (Scan Client)

Prerequisite: SCPP 1/2 “Scan Client”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	GATT Client over LE	[1] 4.1	M	[3] GATT 1a/1
2	No longer used	N/A	N/A	N/A
3	Discover All Primary Services	[1] 4.1	C.1	[3] GATT 3/2
4	Discover Primary Services by Service UUID	[1] 4.1	C.1	[3] GATT 3/3
5	Discover All Characteristics of a Service	[1] 4.1	C.2	[3] GATT 3/5



Item	Capability	Reference	Status	Inter-Layer Dependency
6	Discover Characteristics by UUID	[1] 4.1	C.2	[3] GATT 3/6
7	Discover All Characteristic Descriptors	[1] 4.1	M	[3] GATT 3/7
8	Write without Response	[1] 4.1	M	[3] GATT 3/12
9	No longer used	N/A	N/A	N/A
10	Single Notification	[1] 4.1	M	[3] GATT 3/17

C.1: Mandatory to support at least one.

C.2: Mandatory to support at least one.

2.5.4 GAP requirements (Scan Client)

Table 10: GAP Requirements (Scan Client)

Prerequisite: SCPP 1/2 “Scan Client”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Central	[1] 2.3	M	[4] GAP 5/4
2–4	No longer used	N/A	N/A	N/A

Table 11: No longer used



3 References

- [1] Scan Parameters Profile Specification, Version 1.0
- [2] ICS Proforma for Scan Parameters Service (SCPS)
- [3] ICS Proforma for Generic Attribute Profile (GATT)
- [4] ICS Proforma for Generic Access Profile (GAP)



4 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
0	1.0.0	2011-12-27	Adopted by the Bluetooth SIG Board of Directors
	1.0.1r00	2016-11-01	TSE 8021: Table 0 added; C.1 footnote added to Table 1; references for Transport Requirements updated (Table 2); “Scan Server Role” headings and titles standardized throughout; “Peripheral” capitalization fixed throughout; Table 5 title fixed; miscellaneous typos fixed; “Scan Client Role” name fixed in titles and headings throughout; “Central” capitalization (“Capability” column) fixed throughout; References updated. Template updated.
1	1.0.1	2016-12-13	Approved by BTI. Prepared for TCRL 2016-2 publication.
	1.0.1 edition 2r00	2018-11-26	Editorial changes only. Template updated. Revision History and contributors moved to the end of the document.
	1.0.1 edition 2	2020-01-10	Updated copyright page and confidentiality markings to support new Documentation Marking Requirements, performed minor formatting updates, and accepted all tracked changes to prepare for edition 2 publication.
	p2r00-r02	2022-10-18 – 2022-11-14	TSE 20345 (rating 1): Updated to align with current ICS conventions/template. Removed Support columns and added an Inter-Layer Dependency column where appropriate. Deleted Tables 5 and 11 (SM requirements) because they are no longer used. Removed entries from GAP tables. Updated references. Added a Publication Number column to the Revision History. Revised the document numbering convention, setting the last release publication of 1.0.1 as p1. Performed additional template-related formatting fixes. Replaced the Bluetooth logo in the footer and updated the copyright page to align with v2 of the DNMD.
2	p2	2023-02-07	Approved by BTI on 2022-12-28. Prepared for TCRL 2022-2 publication.
	p2ed2r00–r01	2025-07-11 – 2025-07-15	TSE 27362 (rating 1): Updated the Status for SCPP 2/2 and added conditions C.2 and C.3.
	p2 edition 2	2025-08-05	Approved by BTI on 2025-08-05. Prepared for edition 2 publication.
	p3r00	2025-08-21	TSE 28082 (rating 1): Updated the ILD column for Items 4/1 and 10/1 to delete references to GAP Table 38.
3	p3	2025-11-04	Approved by BTI on 2025-10-02. Prepared for TCRL pkg101 publication.



Acknowledgments

Name	Company
Chris Church	CSR

