

Synchronization Profile (SYNC)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- **Revision:** SYNC.ICS.p6
- **Revision Date:** 2024-07-01
- **Prepared By:** BTI
- **Published during TCRL:** TCRL.2024-1



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2001–2024 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

1	Identification of the implementation.....	4
1.1	Implementation Under Test (IUT) identification.....	4
1.2	Versions	5
1.3	Roles	5
1.4	Client role	5
1.5	Server role.....	6
1.6	GAP requirements	7
2	References.....	8
3	Revision history and acknowledgments	9

1 Identification of the implementation

1.1 Implementation Under Test (IUT) identification

Identification of the Implementation Under Test (IUT) is to be filled in to provide as much detail as possible regarding version numbers and configuration options.

An ICS contact person to respond to queries regarding information supplied in this ICS is proforma is named in the Declaration of Compliance: Summary of Selected Specifications in Implementation.

1.2 Versions

Table 0: X.Y Versions

Item	Version	Reference	Status
1	SYNC v1.1**	[2] SYNC v1.1	Deprecated 2013-07-24. Withdrawn 2022-02-01.
2	SYNC v1.2	[1] SYNC v1.2	C.1, C.2

C.1: Mandatory.

C.2: Can only be supported with an active X.Y.Z version after Deprecation. Deprecated 2021-02-01.
Withdrawn 2022-02-01.

Table 0a: X.Y.Z Versions

Item	Version	Reference	Status
1	SYNC v1.2.1	[1] SYNC v1.2.1	C.1

C.1: Mandatory IF SYNC 0/2 “SYNC v1.2”, otherwise Excluded.

1.3 Roles

Table 1: Role Requirements

Item	Role	Reference	Status
1	IrMC Client	[1] 2.2	C.1
2	IrMC Server	[1] 2.2	C.1

C.1: Mandatory to support at least one.

1.4 Client role

Table 2: Client Application Features

Prerequisite: SYNC 1/1 “IrMC Client”

Item	Capability	Reference	Status
	Service Discovery		
1	Perform SD request	[1] 3.1, 7.2	M
	Authentication		
2	Initiation of authentication supported	[1] 2.4	M
	OBEX Authentication		
3	Initiation of OBEX authentication supported	[1] 2.4, 6.3	O
	Synchronization		
4	Synchronization	[1] 4.2	M
	Content Formats		
5	vCard 2.1	[1] 4.2	C.1

** Deprecated versions may not appear in the Bluetooth SIG qualification tool after the deprecation date.
TCRLs published after this date will not allow the use of deprecated versions.



Item	Capability	Reference	Status
6	vCalender 1.0	[1] 4.2	C.1
7	vMsg as defined in IrMC 1.1	[1] 4.2	C.1
8	vNote as defined in IrMC 1.1	[1] 4.2	C.1
9	Other content formats	[1] 4.2	O
Synchronization Commands			
10	Sync command	[1] 4.3	M
Content Formats			
11	vCard 2.1	[1] 4.2	C.2
12	vCalender 1.0	[1] 4.2	C.2
13	vMsg as defined in IrMC 1.1	[1] 4.2	C.2
14	vNote as defined in IrMC 1.1	[1] 4.2	C.2
Automatic Synchronization			
15	Automatic Synchronization	[1] 4.4	O
Content Formats			
16	vCard 2.1	[1] 4.2	C.3
17	vCalender 1.0	[1] 4.2	C.3
18	vMsg as defined in IrMC 1.1	[1] 4.2	C.3
19	vNote as defined in IrMC 1.1	[1] 4.2	C.3

C.1: Mandatory to support at least one.

C.2: Mandatory to support at least one IF SYNC 2/10 “Sync command”, otherwise Excluded.

C.3: Mandatory to support at least one IF SYNC 2/15 “Automatic Synchronization”, otherwise Excluded.

1.5 Server role

Table 3: Server Application Features

Prerequisite: SYNC 1/2 “IrMC Server”

Item	Capability	Reference	Status
Service Discovery server			
1	Provide information on supported content types on SD request	[1] 3.1, 7.2	M
Authentication			
2	Initiation of authentication supported	[1] 2.4	M
OBEX Authentication			
3	Initiation of OBEX authentication supported	[1] 2.4, 6.3	O
Synchronization			
4	Synchronization	[1] 4.2	M
Content Formats			
5	vCard 2.1	[1] 4.2	C.1
6	vCalender 1.0	[1] 4.2	C.1
7	vMsg as defined in IrMC 1.1	[1] 4.2	C.1



Item	Capability	Reference	Status
8	vNote as defined in IrMC 1.1	[1] 4.2	C.1
9	Other content formats	[1] 4.2	O
Synchronization Commands			
10	Sync command	[1] 4.3	O
Content Formats			
11	vCard 2.1	[1] 4.2	C.2
12	vCalender 1.0	[1] 4.2	C.2
13	vMsg as defined in IrMC 1.1	[1] 4.2	C.2
14	vNote as defined in IrMC 1.1	[1] 4.2	C.2
Automatic Synchronization			
15	Automatic Synchronization	[1] 4.4	M
Content Formats			
16	vCard 2.1	[1] 4.2	C.3
17	vCalender 1.0	[1] 4.2	C.3
18	vMsg as defined in IrMC 1.1	[1] 4.2	C.3
19	vNote as defined in IrMC 1.1	[1] 4.2	C.3

C.1: Mandatory to support at least one.

C.2: Mandatory to support at least one IF SYNC 3/10 “Sync command”, otherwise Excluded.

C.3: Mandatory to support at least one IF SYNC 3/15 “Automatic Synchronization”, otherwise Excluded.

1.6 GAP requirements

Table 4: GAP Requirements – SYNC Server

Prerequisite: SYNC 1/2 “IrMC Server”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Bondable mode	[1] 2.4	M	[3] GAP 1/7

Table 5: GAP Requirements – SYNC Client

Prerequisite: SYNC 1/1 “IrMC Client”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Bondable mode	[1] 2.4	M	[3] GAP 1/7

2 References

- [1] Synchronization Profile Specification, Version 1.2 or later
- [2] Synchronization Profile Specification, Version 1.1
- [3] ICS Proforma for Generic Access Profile (GAP)

3 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
0	1.2.0	2006-06	Prepare for publication.
1	1.2.1	2012-06-14	Add versioning table to align with SYNC_SPEC_v1.2
	1.2.2r00	2014-06-16	TSE 5595: Corrected (removed) auto-numbering of Tables that created errors.
2	1.2.2	2014-07-07	TCRL 2014-1 Publication
	1.2.1.0r00	2015-10-28	Updated version numbering to align with Specification version change from 1.2 to 1.2.1 for ESR09. With the specification taking a third identifying number, the ICS version identifier moves to the fourth number and starts again at 0.
	1.2.1.0r01	2015-11-02	Added item 0/3 for new Specification version 1.2.1 (ESR09).
	1.2.1.0r02	2015-11-19	Converted to current document template.
	1.2.1.0r03	2015-11-24	Added table 0a for minor version support.
3	1.2.1.0	2015-12-22	Prepared for TCRL 2015-2 publication.
	1.2.1.1r00	2018-04-05	TSE 10580 (rating 1): Template Conversion.
4	1.2.1.1	2018-07-01	Approved by BTI. Prepared for TCRL 2018-1 publication.
	1.2.1.2r00	2018-09-30	Drafted changes for Deprecation and Withdrawal
5	1.2.1.2	2018-11-21	Approved by BTI. Prepared for TCRL 2018-2 publication.
	1.2.1.2ed2 r00–r03	2021-04-05 – 2021-05-23	TSE 15989 (rating 1): Added information related to deprecation and withdrawal to Tables 0 and 0a. Template-related editorials, including assigning publication number 5 to previous v1.2.1.2, and consistency checker updates.
	1.2.1.2 edition 2	2021-05-25	Approved by BTI on 2021-05-06. Prepared for edition 2 publication.
	1.2.1.2ed3 r00–r03	2021-07-26 – 2021-09-24	TSE 17176 (rating 1): Corrected the deprecation date for SYNC v1.1 in Table 0. TSE 17482 (rating 1): Corrected C.1 of Table 0 to align with more recent language conventions. Consistency checker editorials to align wording with the latest ICS template.
	1.2.1.2 edition 3	2021-09-28	Approved by BTI on 2021-09-27. Prepared for edition 3 publication.

Publication Number	Revision Number	Date	Comments
	p6r00–r02	2023-10-18 – 2023-11-27	TSE 23944 (rating 2): Added GAP inter-layer dependencies. Added GAP requirement Tables 4 (SYNC Server) and 5 (SYNC Client). Added Reference value information for 0/1, 0/2, and 0a/1. Updated the reference list. Added editorial changes to align the document with the latest ICS template, including updates to the IUT identification section, section and table titles, and spacing and removal of "is supported" language from conditionals. Formatted Item 0/1 as deprecated (gray text). Updated the copyright page to align with the latest version of the DNMD. Deleted draft revision history comments prior to p0.
6	p6	2024-07-01	Approved by BTI on 2024-05-22. Prepared for TCRL 2024-1 publication.

Acknowledgments

Name	Company
Ken Croft	3Com Corporation
Dietmar Weber	7 layers AG
Alicia Courtney	Broadcom Corporation
Stefan Agnani	Ericsson Technology Licensing AB
Stephane Bouet	Nokia Mobile Phones
Riku Mettala	Nokia Mobile Phones
Martin Roter	Nokia Mobile Phones