

Dial-up Networking Profile (DUN)

Bluetooth® Implementation Conformance Statement (ICS) Proforma

- **Revision:** DUN.ICS.p9
- **Revision Date:** 2023-02-07
- **Prepared By:** BTI
- **Published during TCRL:** TCRL.2022-2



This document, regardless of its title or content, is not a Bluetooth Specification as defined in the Bluetooth Patent/Copyright License Agreement (“PCLA”) and Bluetooth Trademark License Agreement. Use of this document by members of Bluetooth SIG is governed by the membership and other related agreements between Bluetooth SIG Inc. (“Bluetooth SIG”) and its members, including the PCLA and other agreements posted on Bluetooth SIG’s website located at www.bluetooth.com.

THIS DOCUMENT IS PROVIDED “AS IS” AND BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES MAKE NO REPRESENTATIONS OR WARRANTIES AND DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, THAT THE CONTENT OF THIS DOCUMENT IS FREE OF ERRORS.

TO THE EXTENT NOT PROHIBITED BY LAW, BLUETOOTH SIG, ITS MEMBERS, AND THEIR AFFILIATES DISCLAIM ALL LIABILITY ARISING OUT OF OR RELATING TO USE OF THIS DOCUMENT AND ANY INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING LOST REVENUE, PROFITS, DATA OR PROGRAMS, OR BUSINESS INTERRUPTION, OR FOR SPECIAL, INDIRECT, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, AND EVEN IF BLUETOOTH SIG, ITS MEMBERS, OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document is proprietary to Bluetooth SIG. This document may contain or cover subject matter that is intellectual property of Bluetooth SIG and its members. The furnishing of this document does not grant any license to any intellectual property of Bluetooth SIG or its members.

This document is subject to change without notice.

Copyright © 2001–2023 by Bluetooth SIG, Inc. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Other third-party brands and names are the property of their respective owners.



Contents

- 1 Identification of the implementation..... 4**
 - 1.1 Implementation Under Test (IUT) identification 4
 - 1.2 Version and Roles..... 5
 - 1.3 Gateway Role 5
 - 1.4 Data Terminal Role 6
 - 1.5 SDP Requirements 7
 - 1.6 GAP Requirements 7
 - 1.7 RFCOMM Requirements..... 7
- 2 References..... 8**
- 3 Revision history and acknowledgments 9**



1 Identification of the implementation

1.1 Implementation Under Test (IUT) identification

Identification of the Implementation Under Test (IUT) is to be filled in to provide as much detail as possible regarding version numbers and configuration options.

An ICS contact person to respond to queries regarding information supplied in this ICS proforma is named in the Declaration of Compliance: Summary of Selected Specifications in Implementation.

1.2 Version and Roles

Table 0: Major Versions (X.Y)

Item	Version	Reference	Status
1	DUN v1.1	[1] DUN 1.1	C.1
2	DUN v1.2	[1] DUN 1.2	C.1

C.1: Mandatory to support one and only one of DUN 0/1 “DUN v1.1” OR DUN 0/2 “DUN v1.2”.

Table 1: Role Requirements

Item	Role	Reference	Status
1	Gateway (GW)	[1] 2.2	C.1
2	Data Terminal (DT)	[1] 2.2	C.1

C.1: Mandatory to support at least one of DUN 1/1 “Gateway (GW)” OR DUN 1/2 “Data Terminal (DT)”.

Table 1a: GW Configurations

Prerequisite: DUN 1/1 “Gateway (GW)”

Item	Capability	Reference	Status
1	Circuit Connections	[1] 2	C.1
2	Packet Connections	[1] 2	C.1

C.1: Mandatory to support at least one of DUN 1a/1 “Circuit Connections” OR DUN 1a/2 “Packet Connections”.

Table 1b: DT Configurations

Prerequisite: DUN 1/2 “Data Terminal (DT)”

Item	Capability	Reference	Status
1	Circuit Connections	[1] 2	C.1
2	Packet Connections	[1] 2	C.1

C.1: Mandatory to support at least one of DUN 1b/1 “Circuit Connections” OR DUN 1b/2 “Packet Connections”.

1.3 Gateway Role

Table 2: Application Features (GW)

Prerequisite: DUN 1/1 “Gateway (GW)”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	No longer used	N/A	N/A	N/A
2	General discoverable mode	[1] 6.1	M	[3] GAP 1/3
3–7	No longer used	N/A	N/A	N/A



Item	Capability	Reference	Status	Inter-Layer Dependency
8	Connectable mode	[1] 6.1	M	[3] GAP 1/5
9	Bondable mode	[1] 6.1	M	[3] GAP 1/7
10	Data call without audio Feedback – Outgoing call	[1] 3.1	M	N/A
11	Data call without audio Feedback – Incoming call	[1] 3.1	O	N/A
12	Data call with audio Feedback – Outgoing call	[1] 3.1	C.4	N/A
13	Accept Termination from DT	[1] 3.1	M	N/A
14a	Initiate Termination from GW – Circuit Network	[1] 3.1	C.2	N/A
14b	Initiate Termination from GW – Packet Network	[1] 3.1	C.3	N/A
15	Termination – NT	[1] 3.1	M	N/A

C.1: No longer used.

C.2: Optional IF DUN 1a/1 “Circuit Connections”, otherwise Excluded.

C.3: Optional IF DUN 1a/2 “Packet Connections”, otherwise Excluded.

C.4: Optional IF DUN 0/1 “DUN v1.1”, otherwise Excluded.

1.4 Data Terminal Role

Table 3: Application Features (DT)

Prerequisite: DUN 1/2 “Data Terminal (DT)”

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Initiation of general inquiry	[1] 6.3	M	[3] GAP 3/1
2–8	No longer used	N/A	N/A	N/A
9	Bondable mode	[1] 6.1	O	[3] GAP 1/7
10	Data call without audio Feedback - Outgoing call	[1] 3.1	M	N/A
11	Data call without audio Feedback – Incoming call	[1] 3.1	O	N/A
12	Data call with audio Feedback – Outgoing call	[1] 3.1	C.1	N/A
13	Initiate termination from DT	[1] 3.1	O	N/A
14	Accept termination from GW	[1] 3.1	M	N/A
15	Termination – NT	[1] 3.1	M	N/A

C.1: Optional IF DUN 0/1 “DUN v1.1”, otherwise Excluded.

Table 4: No longer used



1.5 SDP Requirements

Table 5: SDP Requirements

Item	Capability	Reference	Status	Inter-Layer Dependency
1	ProtocolDescriptorList	[1] 5.3	M	[2] SDP 9/2
2	BluetoothProfileDescriptorList	[1] 5.3	M	[2] SDP 9/14

1.6 GAP Requirements

Table 6: GAP Requirements

Item	Capability	Reference	Status	Inter-Layer Dependency
1–2	No longer used	N/A	N/A	N/A
3	Non-bondable mode	[1] 6.1	C.5	[3] GAP 1/6
4	No longer used	N/A	N/A	N/A
5	Initiation of general bonding	[1] 6.3	C.2	[3] GAP 3/5
6	No longer used	N/A	N/A	N/A

C.1: No longer used.

C.2: Mandatory IF DUN 1/2 “Data Terminal (DT)”, otherwise not defined.

C.3–C.4: No longer used.

C.5: Mandatory IF DUN 1/2 “Data Terminal (DT)”, otherwise Optional.

1.7 RFCOMM Requirements

Table 7: RFCOMM Requirements

Item	Capability	Reference	Status	Inter-Layer Dependency
1	Initialize RFCOMM Session	[1] 5	C.1	[4] RFCOMM 1/1
2	Respond to Initialization of an RFCOMM Session	[1] 5	C.2	[4] RFCOMM 1/2

C.1: Mandatory IF DUN 1/2 “Data Terminal (DT)”, otherwise Optional.

C.2: Mandatory IF DUN 1/1 “Gateway (GW)”, otherwise Optional.



2 References

- [1] Dial-up Networking Profile Specification, Version 1.1 or later.
- [2] ICS Proforma for Service Discovery Protocol (SDP)
- [3] ICS Proforma for Generic Access Profile (GAP)
- [4] ICS Proforma for RFCOMM (RFCOMM)



3 Revision history and acknowledgments

Revision History

Publication Number	Revision Number	Date	Comments
0	1.2	2001-07-01	Version for Dial Up Networking Profile Specification 1.1
	1.2.1r2	2004-10-29	Incorporation of March, 2002, Addendum, TSE 257 for Table 2 and 3
1	1.1.1	2004-11-22	Changed document number.
	1.2.2r0	2006-04-10	Editorial updates
	1.2.2r1	2006-04-10	TSE 739: Rows 13 & 14 in Table 2 and Table 3. Remove the conditional C.1 and change to M/O as applicable. Renumbered document Fixed page breaks.
2	1.2.2	2006-06-15	Prepare for publication.
	1.2.3r0	2006-11-13	TSE 1817: Add table 1A for GW Configurations
	1.2.3r1	2006-11-30	Change "roles" to "configurations in Table 1A note
3	1.2.3	2007-01-09	Prepare for publication.
	1.2.4r0	2007-06-29	TSE 2206: Table 2: additional rows
4	1.2.4	2007-08-03	Prepare for publication
	1.1.5r0	2008-07-31	Corrected Revision number from 1.2 to 1.1 TSE 2478: New Table 1B:
5	1.1.5	2008-12-02	Prepare for publication.
	1.2.0r0	2012-09-28	Prepare for publication Change in version to align with specification version 1.2 Introduction of Table 0 Change to conditionals from O.X to C.X Editorial Updates to align with current standards Implement sections 1.7-1.9 for lower-layer dependencies
	1.2.0r1	2012-10-04	Changes per BTI Review.
	1.2.0r2	2012-10-08	Additional changes from Magnus
6	1.2.0	2012-11-13	Prepare for Publication
7	1.2.1	2012-11-30	TSE 5029: Change Table 4 to "Intentionally left blank," in Table 6 updated references, edited conditionals and added 6/6 Security Mode 4.
	1.2.2r00	2017-02-23	TSE 8237: Template converted and Table 2 updated for "Item no longer used" and miscellaneous editorial changes.
	1.2.2r01	2017-05-04	Fixed references and a few font size inconsistencies.
8	1.2.2	2017-07-03	Approved by BTI. Prepared for TCRL 2017-1 publication.

Publication Number	Revision Number	Date	Comments
	p9r00–r02	2022-11-02 – 2022-11-15	TSE 19246 (rating 3): Updated to align with current ICS conventions/template. Removed Support columns and "is supported" language. Added ILD columns where appropriate. Combined sequential rows for items that are no longer used in Tables 2, 3, and 6. In Table 2, corrected the status for Items 2, 12, 14a, and 14b. In Table 3, corrected the status for Item 9. In Table 6, corrected the status for Item 3 and updated C.1–C.5. Deleted Table 4 because it is no longer used. Added Table 7 to cover RFCOMM requirements. Updated the references list. Added a Publication Number column to the Revision History. Revised the document numbering convention, setting the last release publication of 1.2.2 as p8. Performed additional template-related formatting fixes. Replaced the Bluetooth logo in the footer and updated the copyright page to align with v2 of the DNMD.
9	p9	2023-02-07	Approved by BTI on 2022-12-19. Prepared for TCRL 2022-2 publication.

Acknowledgments

Name	Company
Alicia Courtney	Broadcom
Magnus Sommansson	CSR
Chris Church	Qualcomm

